

# तिमलनाडु के लिए राज्य स्तरीय समग्र कृषि-मौसम परामर्श बुलेटिन



## State Composite Agro-meteorological Advisory Bulletin for Tamil Nadu and Puducherry Bulletin No. 083/2024

For the period 0830 IST, 15<sup>th</sup> October 2024 to 0830 IST, 20<sup>th</sup> October 2024


Issued on Tuesday, 15<sup>th</sup> October 2024

Issued by

DDGM, Regional Meteorological Centre, India Meteorological Department,
Chennai in collaboration with TNAU and nine AMFU's of Agro climatic Zones of
the Tamil Nadu state

# Agro climatic zones of the state

SI. No	Agro climatic zone	Districts	Agro met field Unit (AMFU) location	
1	Northeastern zone  Kanchipuram, Tiruvallur, Cuddalore Tiruvannamalai, Chennai, Villupuram, Vellore		Chennai	
2	Northwestern zone	Dharmapuri, Krishnagiri, Salem and Namakkal	Namakkal	
3	Western Zone	Erode,Tiruppur and Coimbatore,	Coimbatore,	
4	Cauvery Delta zone	Thanjavur, Nagapattinam, Tiruvarur, Karur,Perambalur,Ariyalur and Tiruchirapalli.	Adudurai	
5	Southern zone	Virudhunagar, Tirunelveli and Thoothukudi	Kovilpatti	
6	South Zone	Pudukkottai, Madurai, Dindigul, Theni, Ramanathapuram and Sivagangai	Kannivadi	
7	High rainfall zone	Kanyakumari	Pechiparai	
8	Hilly zone	Nilgiris	Ooty	
9	Coastal Zone	Karaikal and Pondicherry	Karaikal	



# Past Weather Summary for the period 10.10.24 to 14.10.24 for the State of Tamilnadu & Puducherry

#### **Temperature:**

Maximum Temperature of range 27°C – 35°C prevailed over the state. Kodaikanal and Uthagamandalam recorded Maximum temperature range 18°C – 21°C during the period.

Minimum temperature of range 21°C - 27°C prevailed over the State. Kodaikanal and Uthagamandalam recorded Minimum temperature of range 11°C - 14°C during the same period.

### **Spatial distribution of Rainfall**

Spatial distribution of Rainfall	Tamil Nadu	Puducherry
Widespread (Most places)	14.10.24	11.10.24, 13.10.24 & 14.10.24
Fairly widespread (Many	11.10.24, 12.10.24 & 13.10.24	
places)		
Scattered (Few Places)	10.10.24	
Isolated (One or Two Places)		
Dry	1	10.10.24 & 12.10.24

## **Chief Amounts of Rainfall (in cms):-**

10.10.24: PWD Makkinampatti (dist Coimbatore) 12, Zone 03 Madhavaram (dist Chennai) 9, Nilakottai (dist Dindigul), Pollachi (dist Coimbatore), Uthiramerur (dist Kancheepuram), Zone 13 U39 Adyar (dist Chennai), RSCL-3 Anandhapuram (dist Villupuram), Kannadaian Anicut (dist Tirunelveli) 7 each, Good Will School Villivakkam ARG (dist Tiruvallur), Perambur (dist Chennai), Palar Anicut (dist Ranipet), Zone 03 Puzhal (dist Chennai), Sulur (dist Coimbatore), Sholayar (dist Coimbatore), Zone 06 D65 Kolathur (dist Chennai) 6 each, Salem (dist Salem), Namakkal AWS (dist Namakkal), Avadi (dist Tiruvallur), Perungalur (dist Pudukkottai), Zone 02 Manali (dist Chennai), Zone 12 Alandhur (dist Chennai), Valparai PTO (dist Coimbatore), Pillur Dam Mettupalayam (dist Coimbatore), Red Hills (dist Tiruvallur), Oddanchatram (dist Dindigul), Anaimalai Taluk Office (dist Coimbatore) Puzhal ARG (dist Tiruvallur), Zone 07 U18 D81 Vanagaram (dist Chennai) 5 each, Upasi TRF AWS (dist Coimbatore), Zone 15 Sholinganallur (dist Chennai) , Thuvakudi Imti (dist Thiruchirappalli) , Thuvakudi AWS (dist Thiruchirappalli), Kelambakkam (dist Chengalpattu), Zone 12 D156 Mugalivakkam (dist Chennai), Pambar Dam (dist Krishnagiri), PWD Vaarappatti (dist Coimbatore), Nalumukku (dist Tirunelveli), Zone 07 Ambattur (dist Chennai), Arcot (dist Ranipet), Zone 12 Meenambakkam (dist Chennai), Cincona (dist Coimbatore), Ambathur (dist Chennai), Uthukottai (dist Tiruvallur), Gummidipoondi (dist Tiruvallur), Ambattur (dist Chennai), Meenambakkam AWS (dist Chennai), Chennai (AP) (dist Chennai), Zone 14 U41 Perungudi (dist Chennai), Chinnakalar (dist Coimbatore), Alandur (dist Chennai), Uppar Dam (dist Tiruppur), Elumalai (dist Madurai), Madukkur (dist Thanjavur), Zone 11 U32 Maduravoyal (dist Chennai), Chennai Collector Office (dist Chennai) 4 each, Barwood (dist The Nilgiris), Ramnadu KVK AWS (dist Ramanathapuram), Ennore AWS (dist Chennai), Adanakkotai (dist Pudukkottai), Zone 14 Perungudi (dist Chennai), Zone 05 Royapuram (dist Chennai), Kakkachi (dist Tirunelveli), Sholinganallur (dist Chennai) , Zone 01 Thiruvottiyur (dist Chennai) , Usilampatti (dist Madurai) , Zone 10 Kodambakkam (dist Chennai), Satyabama Uty ARG (dist Kancheepuram), Dindigul (dist Dindigul), Zone 06 T.V.K Nagar (dist Chennai), Gandarvakottai (dist Pudukkottai), Kundadam (dist Tiruppur), Zone 11 Valasaravakkam (dist Chennai) , Ottapadiram (dist Thoothukudi) , Madathukulam (dist Tiruppur) , Kodumudiyaru Dam (dist Tirunelveli), Hindustan University (dist Kancheepuram), CD Hospital Tondaiarpet (dist Chennai), Manjalar (dist Theni), Nkl Collectorate (dist Namakkal), Ambasamudram (dist Tirunelveli), Thondamuthur (dist Coimbatore), Oothu (dist Tirunelveli), Adiramapattinam (dist Thanjavur), Adirampatnam (dist Thanjavur), NIOT Pallikaranai ARG (dist Chennai), Padalur (dist Perambalur), Zone 05 GCC (dist Chennai) 3 each, Kurinjipadi (dist Cuddalore), Zone 15 Uthandi (dist Chennai), Palacode (dist Dharmapuri), ACS Medical College ARG (dist Kancheepuram), Zone 13 Adyar (dist Chennai), Udayalipatti (dist Pudukkottai), Ponneri (dist Tiruvallur), Ayikudi (dist Tenkasi), Sivagiri (dist Tenkasi), Palacode ARG (dist Dharmapuri), Zone 04 Tondiarpet (dist Chennai), Kalavai PWD (dist Ranipet) , Shoolagiri (dist Krishnagiri) , Kollidam (Anaikaranchatram) (dist Mayiladuthurai) , Anaippalayam (dist Karur), Kolapakkam ARG (dist Kancheepuram), Jaya Engg College AWS (dist Tiruvallur), Manjolai (dist Tirunelveli), Zone 08 Malar Colony (dist Chennai), Coimbatore South (dist Coimbatore), Sankarankoil (dist Tenkasi), Chennimalai (dist Erode), Aranmanaipudur (dist Theni), Perambalur AWS (dist Perambalur), Chembarambakkam ARG (dist Kancheepuram), Wallajah (dist Ranipet), Palani AWS (dist Dindigul), Udumalpet (dist Tiruppur), Srivilliputhur (dist Virudhunagar), Palani (dist Dindigul), MGR Nagar (dist Chennai), Watrap (dist Virudhunagar) 2 each, Perambalur (dist Perambalur) , Gudalur Bazar (dist The Nilgiris) , Tnau Cri Yethapur (dist Salem) , Malaiyur (dist Pudukkottai), Zone 3 Adyar Eco Park (dist Chennai), Kothavacherry (dist Cuddalore), Ayanavaram Taluk Office (dist Chennai), Upper Gudalur (dist The Nilgiris), Chembarabakkam (dist Kancheepuram), Chengam (dist Tiruvannamalai), Coimbatore AWS (dist Coimbatore), Cholavaram (dist Tiruvallur), Kinathukkadavu (dist Coimbatore), Devala (dist The Nilgiris), Andipatti (dist Theni), Periyar (dist Theni), Periyanaickenpalayam (dist Coimbatore), Avinasi (dist Tiruppur), Chengalpattu (dist Chengalpattu), Keeranur (dist Pudukkottai) , Kayathar (dist Thoothukudi) , Ramanadhi Dam Section (dist Tenkasi) , Shanthi Vijaya School (dist The Nilgiris), Budalur (dist Thanjavur), Ariyalur AWS (dist Ariyalur), Ariyalur PTO (dist Ariyalur), Ariyalur Taluk Office (dist Ariyalur), Zone 09 Teynampet (dist Chennai), VIT Chennai AWS (dist Chengalpattu), Bhuvanagiri (dist Cuddalore), Poonamallee (dist Tiruvallur), Hosur AWS (dist Krishnagiri), Amaravathy Dam (dist Tiruppur), Burliar (dist The Nilgiris), Edapadi (dist Salem), Chinnar Dam (dist Krishnagiri), Natham AWS (dist Dindigul), Natham (dist Dindigul), Nallathangal Resorvoir (dist Tiruppur), Thamaraipakkam (dist Tiruvallur), Vedasandur (dist Dindigul), Tobacco Station (VDR) (dist Dindigul), TNAU Coimbatore (dist Coimbatore), Kallakurichi ARG (dist Kallakurichi), Sankaridurg (dist Salem) , Kundrathur (dist Kancheepuram) , Chittar-I (dist Kanniyakumari) , Vedasandur AWS (dist Dindigul), Omalur (dist Salem), Valparai PAP (dist Coimbatore), Aravakurichi (dist Karur), Paiyur AWS (dist Krishnagiri), Chennai(N) AWS (dist Chennai), Kollidam ARG (dist Mayiladuthurai), Pelandurai (dist Cuddalore), Sriperumbudur (dist Kancheepuram), Chennai (N) (dist Chennai), Modakkurichi (dist Erode), P.N.Palayam ARG (dist Coimbatore), Bhavani (dist Erode), Rajapalayam (dist Virudhunagar), Podanur Railway Station (dist Coimbatore), Taluk Office Pandalur (dist The Nilgiris), Mulanur (dist Tiruppur) , Palayamkottai (dist Tirunelveli) , Muthupet (dist Thiruvarur) , Thirumoorthi Dam (dist Tiruppur), Wood Braiyar Estate (dist The Nilgiris), Alakarai Estate (dist The Nilgiris), Ranipet (dist Ranipet) 1 each.

11.10.24 : Puducherry Town (dist Puducherry) 9, Madukkur (dist Thanjavur) 8, Singampunari (dist Sivagangai), Kallikudi (dist Madurai), Puducherry AWS (dist Puducherry)7 each; Puducherry (dist Puducherry), Sirukudi (dist Thiruchirappalli), Kadaladi (distRamanathapuram), Nagudi (dist Pudukkottai) 6 each; Karur AWS (dist Karur), Theerthandathanam (dist Ramanathapuram), Danishpet (distSalem), Sivagangai PWD TB (dist Sivagangai), Tobacco Station (VDR) (dist Dindigul) 5each; Vedasandur (dist Dindigul), Vattanam (dist Ramanathapuram), Vedasandur AWS (distDindigul), Ponnaniyar Dam (dist Thiruchirappalli), Kil Kotagiri Estate (dist The Nilgiris), Alangudi (dist Pudukkottai), Barwood (dist The Nilgiris), Manamelkudi (dist Pudukkottai) 4each; Glenmorgan (dist The Nilgiris), Kancheepuram (dist Kancheepuram), Mohanur (distNamakkal), Tiruchirappalli Town (dist Thiruchirappalli), Zone 01 Thiruvottiyur (dist Chennai), Pattukottai (dist Thanjavur), Valangaiman (dist Thiruvarur), Patthukannu (dist Puducherry), Adirampatnam (dist Thanjavur), Adiramapattinam (dist Thanjavur), Marakkanam (distVillupuram), Denkanikottai (dist Krishnagiri), Vallam (dist Thanjavur), Kollidam(Anaikaranchatram) (dist Mayiladuthurai), Chinnakalar (dist Coimbatore), Palani AWS (distDindigul), Zone 06 T.V.K Nagar (dist Chennai), Nallathangal Resorvoir (dist Tiruppur), Orthanad (dist Thanjavur), Palani (dist Dindigul), Nannilam (dist Thiruvarur), Vilathikulam(dist Thoothukudi), Thanjavur PTO (dist Thanjavur), Chittampatti (dist Madurai), Pulipatti(dist Madurai), Tondi (dist Ramanathapuram), Tiruchirappalli Junction (dist Thiruchirappalli), Marandahalli (dist Dharmapuri), Amaravathy Dam (dist Tiruppur), Ponmalai (distThiruchirappalli), Perundurai (dist Erode), Rasipuram (dist Namakkal), Madathukulam (distTiruppur), Sathiar (dist Madurai) 3 each; Hosur (dist Krishnagiri), Ramanathapuram (dist Ramanathapuram), Sivakasi (distVirudhunagar), Chidambaram (dist Cuddalore), Melur (dist Madurai), Kallandri (distMadurai), Palacode ARG (dist Dharmapuri), Panchapatti (dist Karur), Puduchatram (distNamakkal), Anaippalayam (dist Karur), Sandhiyur KVK AWS (dist Salem), Erode PTO (distErode), Thalaignayer (dist Nagapattinam), Tiruvarur AWS (dist Thiruvarur), Dharapuram(dist Tiruppur), Palacode (dist Dharmapuri), Thali (dist Krishnagiri), Thaniamangalam (distMadurai), Sholayar (dist Coimbatore), Budalur (dist Thanjavur), Zone 08 Anna Nagar (distChennai), Zone 09 Teynampet (dist Chennai), Tiruvarur (dist Thiruvarur), Kodiayakarai (distNagapattinam), Mannargudi (dist Thiruvarur), Kurungulam (dist Thanjavur), Sendamangalam(dist Namakkal), Modakkurichi (dist Erode), Peravurani (dist Thanjavur), Madurai AWS (distMadurai), Taluk Office Pandalur (dist The Nilgiris) 2 each; Chennai (N) AWS (dist Chennai), R.S.Mangalam (dist Ramanathapuram), Kollidam ARG(dist Mayiladuthurai), Zone 06 D65 Kolathur (dist Chennai), Zone 10 Kodambakkam (distChennai), Kuruvadi (dist Ariyalur), Kelavarapalli Dam (dist Krishnagiri), Mimisal (distPudukkottai), Zone 08 Malar Colony (dist Chennai), Thanjavur (dist Thanjavur), Virdhachalam KVK AWS (dist Cuddalore), Zone 02 D15 Manali (dist Chennai), Thalaivasal (dist Salem), Virudachalam (dist Cuddalore), Paramakudi (dist Ramanathapuram), Kuppanatham (dist Cuddalore), Yercaud (dist Salem), Chennai (N) (dist Chennai), Thenparanadu (dist Thiruchirappalli), Hosur AWS (dist Krishnagiri), Mangalapuram (distNamakkal), Vembakkam (dist Tiruvannamalai), Arantangi (dist Pudukkottai), Needamangalam (dist Thiruvarur), Moolaikaraipatti (dist Tirunelveli), Tiruvaiyaru (distThanjavur), Ettayapuram (dist Thoothukudi), Tnau Cri Yethapur (dist Salem), Attur (distSalem), Oddanchatram (dist Dindigul), Vellakoil (dist Tiruppur), Lalpet (dist Cuddalore), Srimushnam (dist Cuddalore), Vadakuthu (dist Cuddalore), Zone 02 Manali (dist Chennai), Zone 03 Puzhal (dist Chennai), Neyyoor AWS (dist Kanniyakumari), Mylampatti (dist Karur), Tiruvadanai (dist Ramanathapuram), Ayinkudi (dist Pudukkottai), Zone 03 Madhavaram (distChennai), Perambalur AWS (dist Perambalur), Bahour (dist Puducherry), Koppampatti (distThiruchirappalli), Thanjai Papanasam (dist Thanjavur), Walajabad (dist Kancheepuram), DSCL Sulangurichi (dist Kallakurichi), Kallaty (dist The Nilgiris), Gudalur Bazar (dist TheNilgiris), Ayanavaram Taluk Office (dist Chennai), Aruppukottai KVK AWS Good Will School Villivakkam ARG (dist Tiruvallur), Pandavaiyar (distVirudhunagar), Head (distThiruvarur), Hospital Tondaiarpet (dist Chennai), Kovilankulam (dist Virudhunagar), Kamatchipuram (dist Dindigul), P.N.Palayam ARG (dist Coimbatore), Upper Gudalur

(distThe Nilgiris), Naduvattam (dist The Nilgiris), Karaikal (dist Karaikal), Devimangalam (distThiruchirappalli), Periyapatti (dist Madurai), Kadavur (dist Karur), Muthupet (dist Thiruvarur), Vazhapadi ARG (dist Salem), Kodumudi (dist Erode), Nambiyur (dist Erode), Nilakottai (distDindigul), Tirupathur (dist Sivagangai), Billimalai Estate (dist The Nilgiris), Devala (dist TheNilgiris), Harisan Malayalam Ltd. (dist The Nilgiris), Wood Braiyar Estate (dist The Nilgiris), Thirukuvalai (dist Nagapattinam), Zone 01 Kathivakkam (dist Chennai), Kodaikannal BoatClub (dist Dindigul), RSCL-3 Semmedu (dist Villupuram), Malaiyur (dist Pudukkottai) 1 each.

12.10.24 : Karaikudi (dist Sivagangai) 15, Tiruchirappalli Airport (dist Thiruchirappalli) 13, Kurunthancode (dist Kanniyakumari) 10, Colachel (dist Kanniyakumari), Neyyoor AWS (dist Kanniyakumari) 9 each, Erode PTO (dist Erode), Varattupallam (dist Erode), Eraniel (dist Kanniyakumari), Kadambur (dist Thoothukudi) 7 each, Adayamadai (dist Kanniyakumari), Edapadi (dist Salem), Orthanad (dist Thanjavur), Kodaikanal (dist Dindigul), Sholayar (dist Coimbatore), Ammapettai (dist Erode), Watrap Virudhunagar), Thirparappu (dist Kanniyakumari), Thuckalay (dist Kanniyakumari), Theerthandathanam (dist Ramanathapuram) 6 each, Kodaikannal Boat Club (dist Dindigul), Mullanginavillai (dist Kanniyakumari), Kariyapatti (dist Virudhunagar), Sivaganga (dist Sivagangai), Kodanad (dist The Nilgiris), Tiruchirappalli Junction (dist Thiruchirappalli), Chinnakalar (dist Coimbatore), Valparai PTO (dist Coimbatore), Pechiparai AWS (dist Kanniyakumari), Madathukulam (dist Tiruppur) 5 each, Mambzhathuraiyaru (dist Kanniyakumari), Periyakulam (dist Theni), Sendamangalam (dist Namakkal), Pechiparai (dist Kanniyakumari), Anaikedanku (dist Kanniyakumari), Cincona (dist Coimbatore), Nagercoil (dist Kanniyakumari), Panchapatti (dist Karur), Pilavakkal Periyar Dam (dist Virudhunagar), Nagercoil ARG (dist Kanniyakumari), Kumarapalayam (dist Namakkal), Bhavani (dist Erode), Modakkurichi (dist Erode), Perungalur (dist Pudukkottai), Mayanur (dist Karur) 4 each, Sankaridurg (dist Salem), Kangeyam (dist Tiruppur), Rajapalayam (dist Virudhunagar), PWD Vaarappatti (dist Coimbatore), Singampunari (dist Sivagangai), Periyakulam AWS (dist Theni), Adirampatnam (dist Thanjavur), Kuzhithurai (dist Kanniyakumari), Sothuparai (dist Theni), PWD Makkinampatti (dist Coimbatore), Thiruthuraipoondi (dist Thiruvarur), Kothavacherry (dist Cuddalore), Pattukottai (dist Thanjavur), Tirupathur (dist Sivagangai), Suralacode (dist Kanniyakumari), Sivagiri (dist Tenkasi), Chittar-I (dist Kanniyakumari), Perunchani Dam (dist Kanniyakumari), Alangudi (dist Pudukkottai), Thirupathisaram AWS (dist Kanniyakumari), Periyanaickenpalayam (dist Coimbatore), Nalumukku (dist Tirunelveli), Puthan Dam (dist Kanniyakumari), Balamore (dist Kanniyakumari), Kalakadu (dist Tirunelveli), Ponnaniyar Dam (dist Thiruchirappalli), Zone 02 D15 Manali (dist Chennai), Pennagaram (dist Dharmapuri), Vellakoil (dist Tiruppur), Servalar Dam (dist Tirunelveli), Kayathar (dist Thoothukudi), Valparai PAP (dist Coimbatore), Devakottai (dist Sivagangai), Thalavadi (dist Erode), Zone 05 Royapuram (dist Chennai), Thirumoorthi Dam (dist Tiruppur), Tiruchengode (dist Namakkal), Adanakkotai (dist Pudukkottai), Oothu (dist Tirunelveli), Manjalar (dist Theni), Kanniyakumari (dist Kanniyakumari), Srivilliputhur (dist Virudhunagar), Bhoothapandy (dist Kanniyakumari), Kunderipallam (dist Erode), Kurinjipadi (dist Cuddalore), Thirumoorthy IB (dist Tiruppur), Pollachi (dist Coimbatore), Madukkur (dist Thanjavur), Nallathangal Resorvoir (dist Tiruppur) 3 each, Vattanam (dist Ramanathapuram), Valparai Taluk Office (dist Coimbatore), Ramanathapuram (dist Ramanathapuram), RSCL-2 Kedar (dist Villupuram), Kallikudi (dist Madurai), Vembakottai (dist Virudhunagar), Tirupuvanam (dist Sivagangai), Melur (dist Madurai), Tiruppur North (dist Tiruppur), Tiruppur North (dist Tiruppur), Thanjavur PTO (dist Thanjavur), Coimbatore South (dist Coimbatore), Vaigai Dam (dist Theni), Neivasal Thenpathi (dist Thanjavur), Thalaivasal (dist Salem), Udumalpet (dist Tiruppur), Amaravathy Dam (dist Tiruppur), Tirukattupalli (dist Thanjavur), Thanjavur (dist Thanjavur), Mylaudy (dist Kanniyakumari), Illayangudi (dist Sivagangai), Thogamalai (dist Karur), Palavidithi (dist Karur), Tiruttani (dist Tiruvallur), Nandhiyar Head (dist Thiruchirappalli), Sulur (dist Coimbatore), Cuddalore Collector Office (dist Cuddalore), Uppar

Dam (dist Tiruppur), Chamraj Estate (dist The Nilgiris), Siruvani Adivaram (dist Coimbatore), Dharapuram (dist Tiruppur), Kakkachi (dist Tirunelveli), Palani AWS (dist Dindigul), Ponmalai (dist Thiruchirappalli), Tiruppur IB PWD (dist Tiruppur), Zone 06 T.V.K Nagar (dist Chennai), Panapakkam (dist Ranipet), Budalur (dist Thanjavur), Musiri (dist Thiruchirappalli), Palani (dist Dindigul), Dharmapuri PTO (dist Dharmapuri), Mylampatti (dist Karur), Zone 01 Thiruvottiyur (dist Chennai), Kadavur (dist Karur), Kundadam (dist Tiruppur), Kinathukkadavu (dist Coimbatore), Vettikadu (dist Thanjavur), Coimbatore AWS (dist Coimbatore), Zone 01 Kathivakkam (dist Chennai), Zone 02 Manali (dist Chennai), Cuddalore (dist Cuddalore), Kodumudiyaru Dam (dist Tirunelveli), Gandarvakottai (dist Pudukkottai), Echanviduthi (dist Thanjavur), Peravurani (dist Thanjavur), Kalial (dist Kanniyakumari), Sathyamangalam (dist Erode), V.Kalathur (dist Perambalur), DGP Office (dist Chennai) 2 each, TCS Mill Kethandapatti (dist Tirupathur), Sirugamani KVK AWS (dist Thiruchirappalli), Ulundurpet (dist Kallakurichi), Kunda Bridge (dist The Nilgiris), Kodivery (dist Erode), RSCL-2 Soorapattu (dist Villupuram), Tiruchirappalli Town (dist Thiruchirappalli), Pulivalam (dist Thiruchirappalli), TNAU Coimbatore (dist Coimbatore), Pallipattu (dist Tiruvallur), Thathiengrpet (dist Thiruchirappalli), Kottaram (dist Kanniyakumari), Anjatti (dist Krishnagiri), Udayalipatti (dist Pudukkottai), Zone 15 Sholinganallur (dist Chennai), Gobichettipalayam (dist Erode), Papanasam (dist Tirunelveli), Uthukuli (dist Tiruppur), P.N.Palayam ARG (dist Coimbatore), Kilanilai (dist Pudukkottai), Chennai (N) (dist Chennai), Hosur (dist Krishnagiri), Mulanur (dist Tiruppur), Emeralad (dist The Nilgiris), Zone 14 Perungudi (dist Chennai), Zone 03 Puzhal (dist Chennai), Tirumangalam (dist Madurai), Zone 09 Teynampet (dist Chennai), Sirukudi (dist Thiruchirappalli), Chennai(N) AWS (dist Chennai), Thuvakudi Imti (dist Thiruchirappalli), Thuvakudi AWS (dist Thiruchirappalli), Aravakurichi (dist Karur), RSCL-2 Kanjanur (dist Villupuram), Manjolai (dist Tirunelveli), Zone 05 GCC (dist Chennai), Zone 03 Madhavaram (dist Chennai), Zone 10 Kodambakkam (dist Chennai), Zone 06 D65 Kolathur (dist Chennai), Karambakudi (dist Pudukkottai), Muthupet (dist Thiruvarur), Vellore (dist Vellore), Keelpennathur (dist Tiruvannamalai), Mettur (dist Salem), Devimangalam (dist Thiruchirappalli), Maduranthagam (dist Chengalpattu), Kinnakorai (dist The Nilgiris), Cheyyar ARG (dist Tiruvannamalai), Gomugi Dam PWD (dist Kallakurichi), Sivalogam(Chittar II) (dist Kanniyakumari), Hogenekal (dist Dharmapuri), Peraiyur (dist Madurai), Wallajah (dist Ranipet), Meenambakkam AWS (dist Chennai), Krishnarayapuram (dist Karur), Kozhiporvilai (dist Kanniyakumari), RSCL-2 Nemoor (dist Villupuram), Manamadurai (dist Sivagangai), Palacode (dist Dharmapuri), Kallandri (dist Madurai), Parangipettai (dist Cuddalore), DC Office Tiruppur (dist Tiruppur), Tambaram (dist Chengalpattu), Thammampatty (dist Salem), RSCL-2 Valavanur (dist Villupuram), Tirumayam (dist Pudukkottai), RSCL-2 Koliyanur (dist Villupuram), Surangudi (dist Thoothukudi), Kavundapadi (dist Erode), Nkl Collectorate (dist Namakkal), Zone 14 U41 Perungudi (dist Chennai), Veppanthattai (dist Perambalur), Tiruppur South (dist Tiruppur), Veerapandi (dist Theni), Madurai Airport (dist Madurai), Arakonam (dist Ranipet), Mukkadal Dam (dist Kanniyakumari), Satankulam (dist Thoothukudi), Chennai (AP) (dist Chennai), Madurai AWS (dist Madurai), Satyabama Uty ARG (dist Kancheepuram), Namakkal AWS (dist Namakkal), Tondi (dist Ramanathapuram), Palladam (dist Tiruppur), Avadi (dist Tiruvallur), Zone 13 U39 Advar (dist Chennai), Denkanikottai (dist Krishnagiri), Veeraganoor (dist Salem), Geddai (dist The Nilgiris), Zone 12 Alandhur (dist Chennai), ACS Medical College ARG (dist Kancheepuram), Kolapakkam ARG (dist Kancheepuram), Sattankulam ARG (dist Thoothukudi), Chittampatti (dist Madurai), Coimbatore AP (dist Coimbatore), Elanthakuttai Medu (dist Erode), Bodinaickanur (dist Theni), Annamalai Nagar (dist Cuddalore), Azhiyar (dist Coimbatore), Anaimalai Taluk Office (dist Coimbatore), Ayinkudi (dist Pudukkottai), Good Will School Villivakkam ARG (dist Tiruvallur), Marakkanam (dist Villupuram), Eraiyur (dist Perambalur), Ayanavaram Taluk Office (dist Chennai), Kundah Bridge ARG (dist The Nilgiris), Thaluthalai (dist Perambalur), Malaiyur (dist Pudukkottai), Bhavanisagar (dist Erode), Devala ARG (dist The Nilgiris) 1 each.

13.10.24 : Madurai AWS (dist Madurai) 16, Tirupuvanam (dist Sivagangai) 14, Sivakasi (dist Virudhunagar), Tallakulam (dist Madurai), Rameswaram (dist Ramanathapuram), Periyapatti (dist Madurai), Vettikadu (dist Thanjavur) 12 each, Madurai North (dist Madurai) 11, Kovilankulam (dist Virudhunagar), Aruppukottai KVK AWS (dist Virudhunagar), Thaniamangalam (dist Madurai), Ponnaniyar Dam (dist Thiruchirappalli), Mettupatti (dist Madurai) 10 each, Devakottai (dist Sivagangai), Pulipatti (dist Madurai), Melur (dist Madurai), Avudayarkoil (dist Pudukkottai) 9 each, Viraganur Dam (dist Madurai), Tiruchengode (dist Namakkal), Kodaikanal (dist Dindigul), Harur (dist Dharmapuri) 8 each, Singampunari (dist Sivagangai), Ariyalur Taluk Office (dist Ariyalur), Ariyalur PTO (dist Ariyalur), Idayapatti (dist Madurai), Mayanur (dist Karur), Padalur (dist Perambalur), Thirukoilur ARG (dist Kallakurichi), Krishnarayapuram (dist Karur), Palani (dist Dindigul), Pullambadi (dist Thiruchirappalli), Ariyalur AWS (dist Ariyalur), Kallikudi (dist Madurai), Eraiyur (dist Perambalur), Usilampatti (dist Madurai), Mannargudi (dist Thiruvarur) 7 each, Sethu Bhaskar Agri College AWS (dist Sivagangai), Kodaikannal Boat Club (dist Dindigul), Musiri (dist Thiruchirappalli), Thondamuthur (dist Coimbatore), Tirukoilur (dist Kallakurichi), Valparai PAP (dist Coimbatore), Panchapatti (dist Karur), Ramanathapuram (dist Ramanathapuram), Chinnakalar (dist Coimbatore), Sirugamani KVK AWS (dist Thiruchirappalli), Valparai Taluk Office (dist Coimbatore) 6 each, Sivaganga (dist Sivagangai), Samayapuram (dist Thiruchirappalli), KCS Mill-1 Moongilthura (dist Kallakurichi), Andipatti (dist Madurai), Chittampatti (dist Madurai), Modakkurichi (dist Erode), TNAU Coimbatore (dist Coimbatore), Kinnakorai (dist The Nilgiris), Chettikulam (dist Perambalur), K.Paramathi (dist Karur), Tirupathur (dist Sivagangai), Thiruchuzhi (dist Virudhunagar), Sholavandan (dist Madurai), Lakkur (dist Cuddalore), Vadakuthu (dist Cuddalore), Geddai (dist The Nilgiris), Vathalai Anaicut (dist Thiruchirappalli), Devimangalam (dist Thiruchirappalli) 5 each, Kulithalai (dist Karur), Aruppukottai (dist Virudhunagar), R.S.Mangalam (dist Ramanathapuram), Tiruvadanai (dist Ramanathapuram), Bahour (dist Puducherry), Pudukottai (dist Pudukkottai), Chamrai Estate (dist The Nilgiris), Suthamalli Dam (dist Ariyalur), Karur (dist Karur), Natham AWS (dist Dindigul), Natham (dist Dindigul), Sholayar (dist Coimbatore), Peravurani (dist Thanjavur), Virudhunagar (dist Virudhunagar), Karaiyur (dist Pudukkottai), Cincona (dist Coimbatore), Sothuparai (dist Theni), Palavidithi (dist Karur), Veeraganoor (dist Salem), Sirukudi (dist Thiruchirappalli), Perungalur (dist Pudukkottai), P.N.Palayam ARG (dist Coimbatore), Kumbakonam (dist Thanjavur), Lalgudi (dist Thiruchirappalli), Periyakulam (dist Theni), Maduranthagam (dist Chengalpattu), Kunda Bridge (dist The Nilgiris), Valparai PTO (dist Coimbatore), Coonoor PTO (dist The Nilgiris), Madurai Airport (dist Madurai), Kariyapatti (dist Virudhunagar), Vadipatti (dist Madurai), Vepur (dist Cuddalore), Azhiyar (dist Coimbatore) 4 each, Sendurai (dist Ariyalur), Nagudi (dist Pudukkottai), Neivasal Thenpathi (dist Thanjavur), Burliar (dist The Nilgiris), Needamangalam (dist Thiruvarur), Velankanni (dist Nagapattinam), Karur AWS (dist Karur), Kodanad (dist The Nilgiris), Arani (dist Tiruvannamalai), Coimbatore AWS (dist Coimbatore), Ayyampettai (dist Thanjavur), Sattur (dist Virudhunagar), Peraiyur (dist Madurai), Arantangi (dist Pudukkottai), Vanamadevi (dist Cuddalore), Sivagangai PWD TB (dist Sivagangai), Echanviduthi (dist Thanjavur), R.K.Pet ARG (dist Tiruvallur), Koppampatti (dist Thiruchirappalli), Coonoor (dist The Nilgiris), Ariyalur Camp Area (dist Kallakurichi), Thalaignayer (dist Nagapattinam), Mylampatti (dist Karur), Kalasapakkam (dist Tiruvannamalai), Ponnamaravathi (dist Pudukkottai), Thanjavur (dist Thanjavur), KCS Mill-1 Ariyalur (dist Kallakurichi), Chetpet (dist Tiruvannamalai), Vallam (dist Thanjavur), Kallandri (dist Madurai), R.K.Pet (dist Tiruvallur), Thaluthalai (dist Perambalur), Tirumayam (dist Pudukkottai), Marungapuri (dist Thiruchirappalli), Karaikudi (dist Sivagangai), Ayinkudi (dist Pudukkottai), RSCL-2 Koliyanur (dist Villupuram), Tarangambadi (dist Mayiladuthurai), Cheyyar (dist Tiruvannamalai), Kundah Bridge ARG (dist The Nilgiris), Chennimalai (dist Erode), RSCL-2 Nemoor (dist Villupuram), Veppanthattai (dist Perambalur), Gummidipoondi (dist Tiruvallur), Nannilam (dist Thiruvarur), Thirumanur (dist Ariyalur), Uppar Dam (dist Tiruppur), Karambakudi (dist Pudukkottai) 3 each, Sathiar (dist Madurai), Ponmalai (dist Thiruchirappalli), Paramathivelur (dist Namakkal),

Manapparai (dist Thiruchirappalli), Tozhudur (dist Cuddalore), Thenparanadu (dist Thiruchirappalli), Gandarvakottai (dist Pudukkottai), Sembanarkoil PWD (dist Mayiladuthurai), Adirampatnam (dist Thanjavur), Parangipettai (dist Cuddalore), Kallakudi (dist Thiruchirappalli), Labbaikudikadu (dist Perambalur), RSCL-2 Kedar (dist Villupuram), Pattukottai (dist Thanjavur), Anaippalayam (dist Karur), BASL Manalurpet (dist Kallakurichi), Tiruppur South (dist Tiruppur), Thuvakudi AWS (dist Thiruchirappalli), Vaigai Dam (dist Theni), Valangaiman (dist Thiruvarur), Kil Kotagiri Estate (dist The Nilgiris), RSCL-2 Valavanur (dist Villupuram), Gingee (dist Villupuram), Orthanad (dist Thanjavur), Thandarampettai (dist Tiruvannamalai), Pillur Dam Mettupalayam (dist Coimbatore), Tiruchirappalli Town (dist Thiruchirappalli), Kilanilai (dist Pudukkottai), Mohanur (dist Namakkal), Thiruvidaimaruthur (dist Thanjavur), KCS Mill-1 Kadavanur (dist Kallakurichi), Grand Anaicut (dist Thanjavur), Coimbatore South (dist Coimbatore), Thuvakudi Imti (dist Thiruchirappalli), Nilakottai (dist Dindigul), Sankaridurg (dist Salem), Dindigul (dist Dindigul), Krishnapuram (dist Perambalur), Manamadurai (dist Sivagangai), Vilupuram (dist Villupuram), BASL Vengur (dist Kallakurichi), Kovilpatty (dist Thiruchirappalli), Thanjai Papanasam (dist Thanjavur), Kallakurichi AWS (dist Kalladurichi), SRC Kudithangi (dist Cuddalore), Thalaivasal (dist Salem), RSCL-2 Soorapattu (dist Villupuram), Puducherry (dist Puducherry), Kallakurichi ARG (dist Kallakurichi), Nandhiyar Head (dist Thiruchirappalli), Andipatti (dist Theni), Panruti (dist Cuddalore), V.Kalathur (dist Perambalur), Kodumudi (dist Erode), Kothagiri (dist The Nilgiris), Tiruppur IB PWD (dist Tiruppur), Emeralad (dist The Nilgiris), Chennai Collector Office (dist Chennai), Cheyyur (dist Chengalpattu), Glenmorgan (dist The Nilgiris), Aravakurichi (dist Karur), Namakkal (dist Namakkal), Illuppur (dist Pudukkottai), Tiruvaiyaru (dist Thanjavur), Vint Worth Estate (dist The Nilgiris), Tiruchirappalli Junction (dist Thiruchirappalli), Puthu Vettakudi (dist Perambalur), Chengam (dist Tiruvannamalai), Kadavur (dist Karur), Uthiramerur (dist Kancheepuram), Tiruchirappalli Airport (dist Thiruchirappalli), Oddanchatram (dist Dindigul), Ketti (dist The Nilgiris), Manjalar (dist Theni), Patthukannu (dist Puducherry), Melalathur (dist Vellore), Kamudhi (dist Ramanathapuram), Kamatchipuram (dist Dindigul), Kudimiyanmalai (dist Pudukkottai) 2 each, Manjalaru (dist Thanjavur), Puducherry Town (dist Puducherry), Theerthandathanam (dist Ramanathapuram), Tondi (dist Ramanathapuram), Keelpennathur (dist Tiruvannamalai), Avalanche (dist The Nilgiris), Madukkur (dist Thanjavur), Nallathangal Resorvoir (dist Tiruppur), Dharapuram (dist Tiruppur), Polur (dist Tiruvannamalai), Udayalipatti (dist Pudukkottai), Kodiayakarai (dist Nagapattinam), Annavasal (dist Pudukkottai), Katpadi (dist Vellore), Alakarai Estate (dist The Nilgiris), Thuraiyur (dist Thiruchirappalli), Vedasandur (dist Dindigul), Tobacco Station (VDR) (dist Dindigul), Perambalur (dist Perambalur), Aranmanaipudur (dist Theni), Thiruthuraipoondi (dist Thiruvarur), Thirukalukundram (dist Chengalpattu), Vedasandur AWS (dist Dindigul), Tiruvannamalai (dist Tiruvannamalai), Adanakkotai (dist Pudukkottai), Mahabalipuram (dist Chengalpattu), Kuruvadi (dist Ariyalur), Kalial (dist Kanniyakumari), Kancheepuram (dist Kancheepuram), Perambur (dist Chennai), Puduchatram (dist Namakkal), SCS Mill Arasoor (dist Villupuram), Marakkanam (dist Villupuram), Cheyyar ARG (dist Tiruvannamalai), Podanur Railway Station (dist Coimbatore), Bhuvanagiri (dist Cuddalore), Gudalur Bazar (dist The Nilgiris), PWD Vaarappatti (dist Coimbatore), Mimisal (dist Pudukkottai), Gudiyatham (dist Vellore), Erode PTO (dist Erode), Madurai city (dist Madurai), Thogamalai (dist Karur), Vellore (dist Vellore), Nagapattinam (dist Nagapattinam), Kurungulam (dist Thanjavur), Danishpet (dist Salem), Mulanur (dist Tiruppur), Gomugi Dam PWD (dist Kallakurichi), Barwood (dist The Nilgiris), Nagapattinam AWS (dist Nagapattinam), Pollachi (dist Coimbatore), Vedaranyam (dist Nagapattinam), Sholingur (dist Ranipet), Kadalkudi (dist Thoothukudi), Thathiengrpet (dist Thiruchirappalli), Pulivalam (dist Thiruchirappalli), Naduvattam (dist The Nilgiris), SCS Mill Thiruvennainal (dist Villupuram), RSCL3 Avalurpettai (dist Villupuram), Madukkarai Taluk Office (dist Coimbatore), Upper Gudalur (dist The Nilgiris), BASL Manampoondi (dist Villupuram), Cuddalore Collector Office (dist Cuddalore), Vattanam (dist Ramanathapuram), Coimbatore AP (dist Coimbatore), Vembakottai (dist Virudhunagar), Malaiyur (dist Pudukkottai), RSCL-2 Kanjanur (dist Villupuram), Kinathukkadavu (dist Coimbatore), Budalur (dist Thanjavur), Kundadam (dist Tiruppur),

Devala (dist The Nilgiris), Taluk Office Pandalur (dist The Nilgiris), Upper Bhavani (dist The Nilgiris), Hosur (dist Krishnagiri), Pandavaiyar Head (dist Thiruvarur), Kamudhi ARG (dist Ramanathapuram), Navalur Kottapattu (dist Thiruchirappalli), RSCL-3 Valathy (dist Villupuram), RSCL-3 Semmedu (dist Villupuram), Periyanaickenpalayam (dist Coimbatore), Tirukattupalli (dist Thanjavur), Thalavadi (dist Erode), Uthukuli (dist Tiruppur), BASL Mugaiyur (dist Villupuram), Thammampatty (dist Salem), RSCL-2 Mundiyampakkam (dist Villupuram), Pambar Dam (dist Krishnagiri), Cuddalore (dist Cuddalore), Arimalam (dist Pudukkottai), Gangavalli (dist Salem), Tiruppur North (dist Tiruppur), Tiruppur North (dist Tiruppur), Viralimalai (dist Pudukkottai), Wood Braiyar Estate (dist The Nilgiris), Vellakoil (dist Tiruppur), Tirumangalam (dist Madurai) 1 each.

14.10.24 : Budalur (dist Thanjavur) 12, Karaikal (dist Karaikal), Coimbatore South (dist Coimbatore) 8 each, Andipatti (dist Madurai), Coimbatore AWS (dist Coimbatore), Hindustan University (distKancheepuram), DGP Office (dist Chennai), Sattur (dist Virudhunagar) 7 each, PWD Makkinampatti (dist Coimbatore), Vadipatti (dist Madurai), TNAU Coimbatore (distCoimbatore), Coimbatore AP (dist Coimbatore) 6 each, Karaiyur (dist Pudukkottai), VIT\_Chennai AWS (dist Chengalpattu), Sholinganallur (distChennai), Valparai PAP (dist Coimbatore), Vattanam (dist Ramanathapuram), Pollachi (distCoimbatore), Theerthandathanam (dist Ramanathapuram), Zone 09 Ice House (distChennai), Valparai Taluk Office (dist Coimbatore), Tondi (dist Ramanathapuram), Sholavandan (dist Madurai), Mulanur (dist Tiruppur), Ramnadu KVK AWS (distRamanathapuram), YMCA Nandnam ARG (dist Chennai), Zone 15 Uthandi (dist Chennai), Rameswaram (dist Ramanathapuram), Teynampet (dist Chennai), Kodambakkam (distChennai) 5 each, Sankarankoil (dist Tenkasi), Salem (dist Salem), Tirukattupalli (dist Thanjavur), Pilavakkal Periyar Dam (dist Virudhunagar), Grand Anaicut (dist Thanjavur), Zone 13 AdyarEco Park (dist Chennai), Kudimiyanmalai (dist Pudukkottai), Avudayarkoil (dist Pudukkottai), Satyabama Uty ARG (dist Kancheepuram), Anna University ARG (dist Chennai), Ponneri (dist Tiruvallur), Anna University (dist Chennai), Sulur (dist Coimbatore), Varattupallam (distErode) 4 each, Udumalpet (dist Tiruppur), Thalaivasal (dist Salem), Zone 01 Kathivakkam (dist Chennai), Zone 13 Adyar (dist Chennai), Tiruvadanai (dist Ramanathapuram), Zone 13 U39 Adyar (distChennai), Zone 12 Alandhur (dist Chennai), Kil Kotagiri Estate (dist The Nilgiris), Kalasapakkam (dist Tiruvannamalai), Tiruvarur (dist Thiruvarur), Sathyamangalam (distErode), MGR Nagar (dist Chennai), Zone 09 Teynampet (dist Chennai), Zone 10Kodambakkam (dist Chennai), Annavasal (dist Pudukkottai), Zone 14 Perungudi (distChennai), Jambukuttapatti (dist Krishnagiri), Nallathangal Resorvoir (dist Tiruppur), Amaravathy Dam (dist Tiruppur), Zone 12 D156 Mugalivakkam (dist Chennai), NIOT\_Pallikaranai ARG (dist Chennai), Zone 05 Royapuram (dist Chennai), Devakottai (distSivagangai), Gummidipoondi (dist Tiruvallur), Thamaraipakkam (dist Tiruvallur), Zone 02D15 Manali (dist Chennai), Nandhiyar Head (dist Thiruchirappalli), Pochampalli ARG (distKrishnagiri), Modakkurichi (dist Erode), Penucondapuram (dist Krishnagiri), PWDVaarappatti (dist Coimbatore), Vembakottai (dist Virudhunagar), Zone 14 U41 Perungudi(dist Chennai), Sivagangai PWD TB (dist Sivagangai), Kallakudi (dist Thiruchirappalli), Vilupuram (dist Villupuram), Nagapattinam (dist Nagapattinam) 3 each, Nannilam (dist Thiruvarur), Thalavadi (dist Erode), Dharapuram (dist Tiruppur), Kallandri(dist Madurai), Kodavasal (dist Thiruvarur), Zone 15 Sholinganallur (dist Chennai), Dindigul(dist Dindigul), Zone 11 Valasaravakkam (dist Chennai), Nedungal (dist Krishnagiri), Chinnakalar (dist Coimbatore), Kinathukkadavu (dist Coimbatore), Minnal (dist Ranipet), Zone 11 U32 Maduravoyal (dist Chennai), Vattamalai Resorvoir (dist Tiruppur), UpperBhavani


(dist The Nilgiris), Kelambakkam (dist Chengalpattu), Vadapudupattu (distTirupathur), Zone 08 Anna Nagar (dist Chennai), Periyapatti (dist Madurai), Sirkali (distMayiladuthurai), Chengalpattu (dist Chengalpattu), Adar Estate (dist The Nilgiris), Kuppanampatti (dist Madurai), Kolapakkam ARG (dist Kancheepuram), Tiruchirappalli Town(dist Thiruchirappalli), Red Hills (dist Tiruvallur), Tiruvallur (dist Tiruvallur), Tambaram (distChengalpattu), Arcot (dist Ranipet), Zone 06 T.V.K Nagar (dist Chennai), Yercaud (distSalem), Tiruchirappalli Junction (dist Thiruchirappalli), Vint Worth Estate (dist The Nilgiris), Paiyur AWS (dist Krishnagiri), Zone 08 Malar Colony (dist Chennai), Kodaikannal Boat Club(dist Dindigul), Chennai(N) AWS (dist Chennai), Nagudi (dist Pudukkottai), Zone 12Meenambakkam (dist Chennai), Mimisal (dist Pudukkottai), Meenambakkam AWS (distChennai), Marandahalli (dist Dharmapuri), Illuppur (dist Pudukkottai), Thondamuthur (distCoimbatore), Ambur (dist Tirupathur), Ponmalai (dist Thiruchirappalli), Zone 03 Puzhal (distChennai), Chennai (AP) (dist Chennai), Chennai (N) (dist Chennai), Ennore AWS (distChennai), Alandur (dist Chennai), Uthukottai (dist Tiruvallur), Rayakottah (dist Krishnagiri), Thirupporur (dist Chengalpattu), Kinnakorai (dist The Nilgiris), Wallajah (dist Ranipet), Zone 06 D65 Kolathur (dist Chennai), Chidambaram AWS (dist Cuddalore), Zone 04 Tondiarpet(dist Chennai), Tiruvaiyaru (dist Thanjavur), Kunda Bridge (dist The Nilgiris), Taluk OfficePandalur (dist The Nilgiris), R.S.Mangalam (dist Ramanathapuram), Kundah Bridge ARG(dist The Nilgiris), Zone 02 Manali (dist Chennai), Pullambadi (dist Thiruchirappalli) 2 each, Tiruttani AWS (dist Tiruvallur), Padalur (dist Perambalur), Vallam (dist Thanjavur), Cholavaram (dist Tiruvallur), Tozhudur (dist Cuddalore), Glenmorgan (dist The Nilgiris), Ayanavaram Taluk Office (dist Chennai), Mahabalipuram (dist Chengalpattu), Mohanur (distNamakkal), Ettayapuram (dist Thoothukudi), Tiruttani PTO (dist Tiruvallur), R.K.Pet ARG(dist Tiruvallur), Periyar (dist Theni), Parangipettai (dist Cuddalore), Chittampatti (distMadurai), Zone 03 Madhavaram (dist Chennai), Sriperumbudur (dist Kancheepuram), Kundadam (dist Tiruppur), Ammapettai (dist Erode), Puducherry Town (dist Puducherry), Thammampatty (dist Salem), Periyakulam (dist Theni), Zone 05 GCC (dist Chennai), Zone07 U18 D81 Vanagaram (dist Chennai), Zone 01 Thiruvottiyur (dist Chennai), Melalathur(dist Vellore), Puzhal ARG (dist Tiruvallur), Zone 07 Ambattur (dist Chennai), Chembarabakkam (dist Kancheepuram), Kavundapadi (dist Erode), CD HospitalTondaiarpet (dist Chennai), Kaveripakkam (dist Ranipet), Mettur (dist Salem), Sholayar (distCoimbatore), Karaikudi (dist Sivagangai), Avadi (dist Tiruvallur), Barur (dist Krishnagiri), Perundurai (dist Erode), Chembarambakkam ARG (dist Kancheepuram), Puducherry (distPuducherry), Patthukannu (dist Puducherry), Chennai Collector Office (dist Chennai), Ponnai Dam (dist Vellore), Kundrathur (dist Kancheepuram), Mangalapuram (distNamakkal), Manamelkudi (dist Pudukkottai), Perambur (dist Chennai), Ammoor (WalajahRailway) (dist Ranipet), Krishnarayapuram (dist Karur), Kalavai PWD (dist Ranipet), Annur(dist Coimbatore), Mandapam (dist Ramanathapuram), Coonoor PTO (dist The Nilgiris), Sivaganga (dist Sivagangai), Siruvani Adivaram (dist Coimbatore), Kodaikanal (distDindigul), Chennimalai (dist Erode), RSCL-3 Avalurpettai (dist Villupuram), Thaniamangalam(dist Madurai), RSCL-2 Valavanur (dist Villupuram), Mayanur (dist Karur), Melur (distMadurai), Uthiramerur (dist Kancheepuram), Idayapatti (dist Madurai), Poonamallee (distTiruvallur), Gangavalli (dist Salem), Good Will School Villivakkam ARG (dist Tiruvallur), ACSMedical College ARG (dist Kancheepuram), Thangachimadam (dist Ramanathapuram), Kollidam (Anaikaranchatram) (dist Mayiladuthurai), Cincona (dist Coimbatore), Coonoor (distThe Nilgiris), Ramanathapuram (dist Ramanathapuram), Palayamkottai Tirunelveli),Cuddalore Collector Office (dist Cuddalore), Kelavarapalli Dam (dist Krishnagiri), Paramathivelur (dist Namakkal), Andipatti (dist Theni), Kancheepuram (dist

Kancheepuram), Valparai PTO (dist Coimbatore), Cheranmahadevi (dist Tirunelveli), Madurai AWS (distMadurai), Palacode ARG (dist Dharmapuri), Oddanchatram (dist Dindigul), Palacode (distDharmapuri), Pappireddipatti (dist Dharmapuri), Annamalai Nagar (dist Cuddalore), Pamban(dist Ramanathapuram), Vettikadu (dist Thanjavur), Thali (dist Krishnagiri), Usilampatti (distMadurai), RSCL-2 Koliyanur (dist Villupuram), Uppar Dam (dist Tiruppur), Walajabad (distKancheepuram), Thuvakudi AWS (dist Thiruchirappalli), Ariyalur AWS (dist Ariyalur), Thirumoorthi Dam (dist Tiruppur), Palladam (dist Tiruppur), Karuppanadhi Dam (distTenkasi), KCS Mill-1 Moongilthura (dist Kallakurichi), ARG SAIRAM INSTITUTION (distChengalpattu), Hosur (dist Krishnagiri), Samayapuram (dist Thiruchirappalli), Ariyalur PTO(dist Ariyalur), Ariyalur Taluk Office (dist Ariyalur), Thirumanur (dist Ariyalur), Cuddalore (distCuddalore), Pelandurai (dist Cuddalore), Thuvakudi Imti (dist Thiruchirappalli), Vaigai Dam(dist Theni), Vembakkam (dist Tiruvannamalai), Thirukkanur (dist Puducherry), VirinjipuramAWS (dist Vellore), Bahour (dist Puducherry), Ketti (dist The Nilgiris), Podanur RailwayStation (dist Coimbatore), Chamraj Estate (dist The Nilgiris), Kilanilai (dist Pudukkottai), Panapakkam (dist Ranipet), Ranipet (dist Ranipet), Chengam (dist Tiruvannamalai), Mettupatti (dist Madurai), Vellore (dist Vellore), Thirukoilur ARG (dist Kallakurichi), Shanmuganadhi (dist Theni), Adiramapattinam (dist Thanjavur), Perunchani Dam (distKanniyakumari), Katpadi (dist Vellore), Ambathur (dist Chennai), Ambattur (dist Chennai), Arakonam (dist Ranipet), Hosur AWS (dist Krishnagiri), Geddai (dist The Nilgiris), Naduvattam (dist The Nilgiris), Veeraganoor (dist Salem), KRP Dam (dist Krishnagiri), Danishpet (dist Salem), Sathiar (dist Madurai), Avalanche (dist The Nilgiris), Billimalai Estate(dist The Nilgiris), Oothu (dist Tirunelveli), Sirugamani KVK AWS (dist Thiruchirappalli), Thirumoorthy IB (dist Tiruppur), Nambiyur (dist Erode), RSCL-2 Soorapattu (dist Villupuram), Kamudhi (dist Ramanathapuram), Gandarvakottai (dist Pudukkottai), Tirunelveli AWS (distTirunelveli), Tallakulam (dist Madurai) 1 each.

# DISTRICT LEVEL ENSEMBLE WEATHER FORECAST ISSUED ON: 15.10.24 VALID FOR THE NEXT 5 DAYS













































#### **District-wise Agromet Advisories**

# Chennai, Kancheepuram, Villupuram, Tiruvannamalai, Tiruvallur, Vellore and Cuddalore

#### SMS Advisory:

(16.10.2024-18.10.2024) Heavy to very heavy rain with extremely heavy rain at one or two places is likely to occur over Tiruvannamalai, Ranipet, Cuddalore, Villupuram, Kallakurichi, Krishnagiri, Vellore, Tirupattur, Tiruvallur, Kancheepuram, Chengalpattu and Chennai districts. Livestock Advisory:

- 1. The young livestock must protected from cold drafts with straw bedding and gunny bag so that the body temperature would be maintained.
- 2. Since this rainy season is conducive for occurrence of Cocciodiosis in rabbit colonies strict biosecurity should be implicated.
- 3. The feed soiled water must be disposed off to prevent aflotoxicosis or they must be completely dried to wet free.
- 4. The drinking water may be boiled to body temperature before giving to livestock so that they will not suffer cold shock
- 5. The bredding materials of pen must be maintained damp free
- 6. The carcasses must be disposed off sufficing the preventive measures
- 7. Since stagnated water may predispose to water borne diseases, care must be exercised to clean and disinfect them.
- 8. To avoid pneumonia in calves and kids prevent them from drenching in rain water
- 9. To prevent the ammonia accumulation there must be in the pig house, good ventilation
- 10. Provision of 5% shell grit to layers improves the egg quality.

#### Agricultural advisory

#### Rice:

Since rain is anticipated, provide drainage for the rice field. To avoid fertilizer application, insecticides or pesticides spray and postpond irrigation.

Farmers are advised provide adequate drainage facilities and drain the stagnant rain and flood water in the rice field and provide aeration to the roots. Submerged paddy crops will be affected by nutrition deficiency so farmers are advised to apply 50 kg of ammonium sulphate or 42 kg of ammonium chloride / acre (or) apply 22 kg of urea + 18 kg of gypsum + 4 kg of neem cake per acre allow to soak overnight and 17 Kg of potash should be mixed while spraying next day.

Due to continuous rainfall leaf folder and stem borer infestation found in paddy crop. To manage them, spray carbosulfan 400 ml/ac or cartap hydrochloride 600 g/ac during morning or evening hours. (Spray after rainfall)

Due to prevailing weather conditions gall midge infestation is found in paddy crop. To control spray chlorpyriphos 20% EC 500 ml/ac or phosalone 35 EC 600 ml/ac. (Spray after rainfall) Due to prevailing weather condition blast infection was observed in paddy crop. To manage the blast, spray tricyclazle 75% WP 200 g/acre or carbendazim 50WP @ 200g/acre at morning or evening time. (Spray after rainfall) Groundnut:

Provide drainage for the groundnut field.

Continuous rainfall will be expected forthcoming days, so farmers are advised to avoid groundnut sowing. Provide proper drainage for sown areas. After rainfall groundnut growing farmers reduce the seed borne pathogens, seedling disease and root rot infections treat the seeds with carbendazim @ 2.0

g/kg of seed 24 hours before sowing (or) Trichoderma viride @  $4.0 \, \text{g/kg}$  of seed (or)bacillus subtilis @  $10 \, \text{g/kg}$  seed.

Turmeric:

To ensure the drainage facility for avoiding rhizome rot disease in turmeric field.

Coconut:

To control rhinoceros beetle in rainy season , setup Rhino lure pheromone trap @ 2 traps/acre Banaan:

High wind speed (>10 kmph) is expected on forthcoming days, so prop up 5 month old banana trees.

### Coimbatore

#### AGRO ADVISORY

Crop	Stage	Advisory
General		Moderate to heavy rainfall is expected for the next five days and the wind
		speed is expected to be around 4 – 18 kmph in Western zone districts.
		Postpone the irrigation based on soil moisture. Provide adequate drainage
		to all crops. Prepare for water harvesting the excess rainfall to farm pond.
		Postpone the sowing, fertilizer application and chemical spray for next few
		days. Gap filling may be done in already germinated fields.
		In rainfed, provide crisscross plough or bunds against the slope at 10m
		interval to arrest the rain water runoff.
Rice	Planting	Provide adequate drainage facility to recently planted main field.
		Postpone transplanting or direct sowing of rice.
		Dain the water through channels and avoid drain field to field.
		Due to drizzling and high relative humidity, rice blast disease may occur,
		spray Azoxystrobin 16.7 % + Trichyclazole 33.30 SC@ 1ml / lit. If stemborer
		and leaf folder incidence noticed apply, chlorantraniliprole 0.5% +
		Thiamethoxam 01% W/WGR @ 6kg /ha.
Blackgram	Vegetative	The standing green gram and black gram would grow with tendrils as a
Greengram		result of excess soil moisture. Clip the tendrils or top the crop.
		If leaf spot disease noticed, spray mancozeb @ 2 gram/lit. Create drainage
		facility to prevent root rot diseases.
Sugarcane		Since rainfall with wind speed >10kmph is expected, provide propping to
		early season sugarcane.
Banana		Since rainfall with wind speed >10kmph is expected, provide support to
		banana of above 5 months old.
		Avoid water stagnation, create the drainage facility to drain the rain water
		to prevent wilt disease.
Cotton	Flowering	Moderate to Heavy rainfall is expected. Provide drainage to 60 days old
		cotton to prevent flower drop. Spraying Naphthalene Acetic Acid (NAA) 40
		ppm during rainless period arrest flower drop in cotton. Avoid water
		stagnation, create the drainage facility to drain the rain water to prevent wilt disease.
Turmeric	Rhizome	Turmeric is at bulking stage, which is critical for both moisture stress and
	development	excess water. Hence, provide adequate drainage to avoid excess moisture.
		Prevailing weather condition favour for leaf blotch, & leaf spot disease,
		spray Azoxystrobin 18.2 % + Difenoconazole 11.4% W/W SC @ 1ml / lit of

	water after rain.
Animal Husbandry	Ensure stability of animal shed structures and prevent water stagnation around the shed.
l lassamary	De worming in cattle's may be advised, since animal may graze newly germinated grasses infected with worms.
	During rainy days to avoid mastitis infection in dairy animals, before and after milking wash the udder with potassium permanganate solution.

## SMS advisory:

Moderate to heavy rainfall is expected. Provide adequate drainage to all crops. Postpone the irrigation, fertilizer application and chemical spray for few days.

## **Erode**

#### AGRO ADVISORY

Crop	Stage	Advisory
General		Moderate to heavy rainfall is expected for the next five days and the wind
		speed is expected to be around 4 – 18 kmph in Western zone districts.
		Postpone the irrigation based on soil moisture. Provide adequate drainage
		to all crops. Prepare for water harvesting the excess rainfall to farm pond.
		Postpone the sowing, fertilizer application and chemical spray for next few
		days. Gap filling may be done in already germinated fields.
		In rainfed, provide crisscross plough or bunds against the slope at 10m
		interval to arrest the rain water runoff.
Rice	Planting	Provide adequate drainage facility to recently planted main field.
		Postpone transplanting or direct sowing of rice.
		Dain the water through channels and avoid drain field to field.
		Due to drizzling and high relative humidity, rice blast disease may occur,
		spray Azoxystrobin 16.7 % + Trichyclazole 33.30 SC@ 1ml / lit. If stemborer
		and leaf folder incidence noticed apply, chlorantraniliprole 0.5% +
		Thiamethoxam 01% W/WGR @ 6kg /ha.
Blackgram	Vegetative	The standing green gram and black gram would grow with tendrils as a
Greengram		result of excess soil moisture. Clip the tendrils or top the crop.
		If leaf spot disease noticed, spray mancozeb @ 2 gram/lit. Create drainage
		facility to prevent root rot diseases.
Sugarcane		Since rainfall with wind speed >10kmph is expected, provide propping to
		early season sugarcane.
Banana		Since rainfall with wind speed >10kmph is expected, provide support to
		banana of above 5 months old.
		Avoid water stagnation, create the drainage facility to drain the rain water
		to prevent wilt disease.
Cotton	Flowering	Moderate to Heavy rainfall is expected. Provide drainage to 60 days old
		cotton to prevent flower drop. Spraying Naphthalene Acetic Acid (NAA) 40
		ppm during rainless period arrest flower drop in cotton. Avoid water
		stagnation, create the drainage facility to drain the rain water to prevent
		wilt disease.
Turmeric	Rhizome	Turmeric is at bulking stage, which is critical for both moisture stress and
	development	excess water. Hence, provide adequate drainage to avoid excess moisture.

	Prevailing weather condition favour for leaf blotch, & leaf spot disease, spray Azoxystrobin 18.2 % + Difenoconazole 11.4% W/W SC @ 1ml / lit of water after rain.
Animal Husbandry	Ensure stability of animal shed structures and prevent water stagnation around the shed.  De worming in cattle's may be advised, since animal may graze newly germinated grasses infected with worms.  During rainy days to avoid mastitis infection in dairy animals, before and after milking wash the udder with potassium permanganate solution.

#### SMS advisory:

Moderate to heavy rainfall is expected. Provide adequate drainage to all crops. Postpone the irrigation, fertilizer application and chemical spray for few days.

## Tiruppur

#### AGRO ADVISORY

Crop	Stage	Advisory
General		Moderate to heavy rainfall is expected for the next five days and the wind speed is expected to be around 4 – 18 kmph in Western zone districts.
		Postpone the irrigation based on soil moisture. Provide adequate drainage
		to all crops. Prepare for water harvesting the excess rainfall to farm pond.
		Postpone the sowing, fertilizer application and chemical spray for next few days. Gap filling may be done in already germinated fields.
		In rainfed, provide crisscross plough or bunds against the slope at 10m interval to arrest the rain water runoff.
Blackgram	Vegetative	The standing green gram and black gram would grow with tendrils as a
Greengram		result of excess soil moisture. Clip the tendrils or top the crop.
		If leaf spot disease noticed, spray mancozeb @ 2 gram/lit. Create drainage
		facility to prevent root rot diseases.
Sugarcane		Since rainfall with wind speed >10kmph is expected, provide propping to
		early season sugarcane.
Banana		Since rainfall with wind speed >10kmph is expected, provide support to
		banana of above 5 months old. Avoid water stagnation, create the
		drainage facility to drain the rain water to prevent wilt disease.
Cotton	Flowering	Moderate to Heavy rainfall is expected. Provide drainage to 60 days old cotton to prevent flower drop. Spraying Naphthalene Acetic Acid (NAA) 40
		ppm during rainless period arrest flower drop in cotton. Avoid water
		stagnation, create the drainage facility to drain the rain water to prevent wilt disease.
Animal		Ensure stability of animal shed structures and prevent water stagnation
Husbandry		around the shed. De worming in cattle's may be advised, since animal may
		graze newly germinated grasses infected with worms. During rainy days to
		avoid mastitis infection in dairy animals, before and after milking wash the
		udder with potassium permanganate solution.

#### SMS advisory:

Moderate to heavy rainfall is expected. Provide adequate drainage to all crops. Postpone the irrigation, fertilizer application and chemical spray for few days.

## **Nilgiris**

Moderate rainfall is expected for the next five day. i. Provide drainage facility. ii. Postpone the intercultural / plant protection activities such as fertilizer and pesticide application until the rain stops. i) Provide drainage facility. ii) Postpone the intercultural / plant protection activities like fertilizer and pesticide application, till the rain stops.

Horticulture (Stage)	Horticulture Specific Advisory	
BANANA	i) Provide support to 5 months old trees using wooden poles. ii) Provide drainage facility and avoid fertilizer and pesticide application. iii) Removal and destruction of decaying and rotten leaves	
Live Stock	Live Stock Specific Advisory	
BUFFALO	i) Protect your animals from lightning and thunderstorm. ii) Do not allow the animals to graze outside. iii) Don't tie the animals to the electric poles and under trees. iv) In consultation with the local veterinarian, vaccinate your animals against seasonal diseases.	

## Virudhunagar

Crop	Stage	Agromet Advisory
Irrigated crops	Water	Very light to moderate rainfall is predicted for next five days. Farmers are
	management	requested to postpone the irrigation.
All rainfed crops	Rainfall	Continuous rainfall may damage crops; hence, farmers are advised to
		ensure proper drainage facilities to prevent water stagnation in the fields.
Pulses (previously	Flowering stage	Farmers are requested to ensure proper drainage facilities
sown crops)		
Paddy	Nursery	Postpone irrigation and strengthen the field to prevent flooding.
Live stock	Shelter	Ensure the stability of animal shed structures and avoid stagnation of
		water around the shed. Provide adequate drinking water as the humidity
		is very high.
	Anthrax Livestock	Very High Risk- Ring vaccination and report of disease is advised.
	Disease Forecast	Vaccination to be done in consultation with the veterinarians and as
	of October month	decided by state animal husbandry authorities. Strict biosecurity
		measures may be followed. Carcass May be disposed by deep burying
		covered with lime powder. Contaminated area May be disinfected with
		4% formalin or 10% caustic soda. Grazing area May be restricted.

Rain: 16-20.10-18,10,2,2&6 mm. Paddy – Strengthen the field bunds. Rainfed crops - ensure proper drainage facilities.

#### Tamil Nadu

Yesterday's low pressure area over southeast Bay of Bengal concentrated into a well marked low pressure area over the central part of south Bay of Bengal at 0530 IST of today, the 15th October, 2024 and persisted over the same region at 0830 IST of today. It is likely to move west-north west wards and intensify into a depression over southwest Bay of Bengal during next 24 hours. It is likely to continue to move west-north west wards towards north Tamil Nadu, Puducherry and

adjoining s	adjoining south Andhra Pradesh coasts during subsequent 24 hours.		
Weather	Next	Day 1 (16.10.2024): Light to moderate rain at most places with Thunderstorm and lightning at one or	
forecast	five	two places is likely to occur over Tamilnadu.	
	days	Day 2 (17.10.2024): Light to moderate rain at many places (at many places over North Tamilnadu and	
		at a few places over South Tamilnadu) with Thunderstorm and lightning at one or two places is likely	
		to occur over Tamilnadu.	
		Day 3 (18.10.2024): Light to moderate rain at a few places (at many places over North Tamilnadu and	
		at one or two places over South Tamilnadu) with Thunderstorm and lightning at one or two places is	
		likely to occur over Tamilnadu.	
		Day 4 (19.10.2024): Light to moderate rain at a few places with Thunderstorm and lightning at one or	
		two places is likely to occur over Tamilnadu.	
		Day 5 (20.10.2024): Light to moderate rain with Thunderstorm and lightning is likely to occur at one	
		or two places over Tamilnadu.	

### Tirunelveli

Crop	Stage	Agromet Advisory
Irrigated crops	Water management	Light rainfall is predicted for next five days. Farmers are requested to postpone the irrigation.
All rainfed crops	Rainfall	Continuous rainfall may damage crops; hence, farmers are advised to ensure proper drainage facilities to prevent water stagnation in the fields.
Rainfed crops (cotton, pulses, Pearl millet and sorghum)	Sowing	Sowing may be carried out based on local weather and soil moisture conditions.  Sowing should be done with proper drainage facilities to prevent water stagnation, which can affect seed germination.  Rainfall is expected in the next few days; therefore, farmers are advised to sow as early as possible, using TNAU products (Vithai Amirtham) to ensure proper crop germination
Paddy	Harvest stage	Harvested produce should be kept safe to avoid damage.
Live stock	Shelter	Ensure the stability of animal shed structures and avoid stagnation of water around the shed. Provide adequate drinking water as the humidity is very high.
	Theileriosis Livestock Disease Forecast of October month	

SMS: Rain: 16-20.10-10,3,3,6&6 mm. Paddy- Harvested produce should be kept safe. Sowing should be done with proper drainage facilities.

#### Tamil Nadu

Yesterday's low pressure area over southeast Bay of Bengal concentrated into a well marked low pressure area over the central part of south Bay of Bengal at 0530 IST of today, the 15th October, 2024 and persisted over the same region at 0830 IST of today. It is likely to move west-north west wards and intensify into a depression over southwest Bay of Bengal during next 24 hours. It is likely to continue to move west-north west wards towards north Tamil Nadu, Puducherry and

adjoining s	adjoining south Andhra Pradesh coasts during subsequent 24 hours.		
Weather	Next	Day 1 (16.10.2024): Light to moderate rain at most places with Thunderstorm and lightning at one or	
forecast	five	two places is likely to occur over Tamilnadu.	
	days	Day 2 (17.10.2024): Light to moderate rain at many places (at many places over North Tamilnadu and	
		at a few places over South Tamilnadu) with Thunderstorm and lightning at one or two places is likely	
		to occur over Tamilnadu.	
		Day 3 (18.10.2024): Light to moderate rain at a few places (at many places over North Tamilnadu and	
		at one or two places over South Tamilnadu) with Thunderstorm and lightning at one or two places is	
		likely to occur over Tamilnadu.	
		Day 4 (19.10.2024): Light to moderate rain at a few places with Thunderstorm and lightning at one or	
		two places is likely to occur over Tamilnadu.	
		Day 5 (20.10.2024): Light to moderate rain with Thunderstorm and lightning is likely to occur at one	
		or two places over Tamilnadu.	

#### **Thoothukudi**

Crop	Stage	Agromet Advisory
Irrigated	Water	Light rainfall is predicted for next five days. Farmers are requested to
crops	management	postpone the irrigation.
All rainfed	Rainfall	Continuous rainfall may damage crops; hence, farmers are advised to ensure
crops		proper drainage facilities to prevent water stagnation in the fields.
Rainfed	Sowing	Sowing may be carried out based on local weather and soil moisture
crops		conditions.
(cotton,		Sowing should be done with proper drainage facilities to prevent water
pulses and		stagnation, which can affect seed germination.
sorghum)		Rainfall is expected in the next few days; therefore, farmers are advised to
		sow as early as possible, using TNAU products (Vithai Amirtham) to ensure
		proper crop germination
Banana	Bunch	Prevailing wind speeds may damage the physical appearance of the crop.
	development	Hence, farmers are advised to practice propping.
	stage	Earthing up should be practiced to avoid lodging

SMS: Rain: 16-20.10-12,5,3,3&6 mm. Sowing should be done with proper drainage facilities using TNAU products (Vithai Amirtham). Banana - practice propping and earthing up.

#### Tamil Nadu Yesterday's low pressure area over southeast Bay of Bengal concentrated into a well marked low pressure area over the central part of south Bay of Bengal at 0530 IST of today, the 15th October, 2024 and persisted over the same region at 0830 IST of today. It is likely to move west-north west wards and intensify into a depression over southwest Bay of Bengal during next 24 hours. It is likely to continue to move west-north west wards towards north Tamil Nadu, Puducherry and adjoining south Andhra Pradesh coasts during subsequent 24 hours. Weather Day 1 (16.10.2024): Light to moderate rain at most places with Thunderstorm and Next forecast five lightning at one or two places is likely to occur over Tamilnadu. Day 2 (17.10.2024): Light to moderate rain at many places (at many places over North days Tamilnadu and at a few places over South Tamilnadu) with Thunderstorm and lightning at one or two places is likely to occur over Tamilnadu.

Day 3 (18.10.2024): Light to moderate rain at a few places (at many places over North

Tamilnadu and at one or two places over South Tamilnadu) with Thunderstorm and
lightning at one or two places is likely to occur over Tamilnadu.
Day 4 (19.10.2024): Light to moderate rain at a few places with Thunderstorm and
lightning at one or two places is likely to occur over Tamilnadu.
Day 5 (20.10.2024): Light to moderate rain with Thunderstorm and lightning is likely to
occur at one or two places over Tamilnadu.

## Kanyakumari

#### AGRO ADVISORIES

S. N.	CROP	STAGES	ADVISORIES
1.	Coconut	All stages	Provide proper drainage in coconut field to avoid fungal rot.
2.	Rubber	Tapping Stage	Fix a polythene rain guard to the trunk of the tree above the tapping panel so that tapping can be done during rainy season also.
3.	Tapioca	All stages	Drainage has to be provided to prevent water logging as it invites pathogens.
4.	Tube rose, Marigold and Nerium	All stages	Provide proper drainag to prevent rain water stagnation.
5.	Banana	Bunching	Heavy wind is anticipated and so it is advised to provide mechanical support to banana to avoid lodging.
6.	Agricultural and Horticultural crops	All stages	Provide adequate drainage in the fields to avoid water stagnation due to heavy rainfall.  Avoid application of fertilizer, insecticide and weedicide due to heavy rains.

#### SMS Advisory

Banana: Use transparent polythene sleeves (2%) to cover the bunches due to rainfall. It increases the quality of bunches.

### Salem

## WEATHER ADVISORY BULLETIN FOR LIVESTOCK, POULTRY AND AGRICULTURE

Livestock, Poultry & Crop	Stage	Weather advisory
		Steps to protect livestock from thunderstorms and lightning
		During north east monsoon there is a chance for thunder storm and lightening.
Livestock		Farmers are requested to avoid grazing of animals during rains which is expected,

	General	particularly grazing of sheep and goat in flock which are more prone for lightning shock. Farmers should avoid tethering animals near barbed wire fencing, electrical posts and trees.  Trees near the animals sheds should be pruned to avoid accidental fall over during heavy wind. Further trees like rain tree, vathanarayanan are more prone for uprooting.  More chance of lightening near hilly area and undulated landscape than plains.  Fence with wooden poles and metal wires, it is a advisable to check the condition of the buried parts at most once in 5 years and do the necessary replacement before the thunderstorm season begins.
Agro adviso	ory from Krishi Vigyan	Kendra, Namakkal
Crops	General	It is expected to receive rainfall in the forthcoming days. In order to prevent water logging and to drain the excess water, the agriculture and horticulture crop growers are advised to make proper and adequate drainage facilities in the field. Avoid sowing, irrigation, fertilizer application and spraying of chemicals for the next four days. Provide adequate support to Banana aged more than 5 months and provide propping in Sugarcane against lodging. Provide criss cross ploughing with country plough in rainfed lands at 10 m interval to reduce runoff speed and soil erosion.
Maize	Vegetative Stage	Farmers are requested to give foliar spraying with Maize Maxim @ 3 kg / acre in 200 litres of water along with sticking agent during tassel initiation and grain filling stage to improve the yield of maize crop.
Paddy	Transplanting stage	Farmers are advised to take up paddy sowing by utilizing expected rainfall and select new paddy varieties such as $CO-52$ , $CO-56$ and $ADT-55$ before sowing seed treatment with Bacillus subtilis @ 10 gram / kg of seed.

## Namakkal

## WEATHER ADVISORY BULLETIN FOR LIVESTOCK, POULTRY AND AGRICULTURE

Livestock, Poultry & Crop	Stage	Weather advisory
Livestock	General	Steps to protect livestock from thunderstorms and lightning During north east monsoon there is a chance for thunder storm and lightening. Farmers are requested to avoid grazing of animals during rains which is expected, particularly grazing of sheep and goat in flock which are more prone for lightning shock. Farmers should avoid tethering animals near barbed wire fencing, electrical posts and trees. Trees near the animals sheds should be pruned to avoid accidental fall over during heavy wind. Further trees like rain tree, vathanarayanan are more prone for uprooting. More chance of lightening near hilly area and undulated landscape than plains. Fence with wooden poles and metal wires, it is a advisable to check the condition of the buried parts at most once in 5 years and do the necessary replacement before the thunderstorm season begins.
Agro advisory from Krishi Vigyan Kendra, Namakkal		
Crops	General	It is expected to receive rainfall in the forthcoming days. In order to prevent water logging and to drain the excess water, the agriculture and horticulture crop growers are

		advised to make proper and adequate drainage facilities in the field. Avoid sowing, irrigation, fertilizer application and spraying of chemicals for the next four days. Provide adequate support to Banana aged more than 5 months and provide propping in Sugarcane against lodging. Provide criss cross ploughing with country plough in rainfed lands at 10 m interval to reduce runoff speed and soil erosion.
Maize	Vegetative Stage	Farmers are requested to give foliar spraying with Maize Maxim @ 3 kg / acre in 200 litres of water along with sticking agent during tassel initiation and grain filling stage to improve the yield of maize crop.
Paddy	Transplanting stage	Farmers are advised to take up paddy sowing by utilizing expected rainfall and select new paddy varieties such as $CO-52$ , $CO-56$ and $ADT-55$ before sowing seed treatment with Bacillus subtilis @ 10 gram / kg of seed.

## Dharmapuri

## WEATHER ADVISORY BULLETIN FOR LIVESTOCK, POULTRY AND AGRICULTURE

Livestock,		The Event of the Control of the Cont		
Poultry & Crop	Stage	Weather advisory		
Livestock	General	Steps to protect livestock from thunderstorms and lightning During north east monsoon there is a chance for thunder storm and lightening. Farmers are requested to avoid grazing of animals during rains which is expected, particularly grazing of sheep and goat in flock which are more prone for lightning shock. Farmers should avoid tethering animals near barbed wire fencing, electrical posts and trees. Trees near the animals sheds should be pruned to avoid accidental fall over during heavy wind. Further trees like rain tree, vathanarayanan are more prone for uprooting. More chance of lightening near hilly area and undulated landscape than plains. Fence with wooden poles and metal wires, it is a advisable to check the condition of the buried parts at most once in 5 years and do the necessary replacement before the thunderstorm season begins.		
Agro advisory	Agro advisory from Krishi Vigyan Kendra, Namakkal			
Crops	General	It is expected to receive rainfall in the forthcoming days. In order to prevent water logging and to drain the excess water, the agriculture and horticulture crop growers are advised to make proper and adequate drainage facilities in the field. Avoid sowing, irrigation, fertilizer application and spraying of chemicals for the next four days. Provide adequate support to Banana aged more than 5 months and provide propping in Sugarcane against lodging. Provide criss cross ploughing with country plough in rainfed lands at 10 m interval to reduce runoff speed and soil erosion.		
Maize	Vegetative Stage	Farmers are requested to give foliar spraying with Maize Maxim @ 3 kg / acre in 200 litres of water along with sticking agent during tassel initiation and grain filling stage to improve the yield of maize crop.		
Paddy	Transplanting stage	Farmers are advised to take up paddy sowing by utilizing expected rainfall and select new paddy varieties such as $CO - 52$ , $CO - 56$ and $ADT - 55$ before sowing seed treatment with Bacillus subtilis @ 10 gram / kg of seed.		

## Krishnagiri

### WEATHER ADVISORY BULLETIN FOR LIVESTOCK, POULTRY AND AGRICULTURE

Livestock,		A EIVESTOCK, TOOLINT AND AGRICULTONE
Poultry &	Stage	Weather advisory
Crop		
		Steps to protect livestock from thunderstorms and lightning
		During north east monsoon there is a chance for thunder storm and lightening.  Farmers are requested to avoid grazing of animals during rains which is expected,
		particularly grazing of sheep and goat in flock which are more prone for lightning shock.
		Farmers should avoid tethering animals near barbed wire fencing, electrical posts and
		trees.
Livestock	General	Trees near the animals sheds should be pruned to avoid accidental fall over during heavy
Livestock	General	wind. Further trees like rain tree, vathanarayanan are more prone for uprooting.
		More chance of lightening near hilly area and undulated landscape than plains.
		Fence with wooden poles and metal wires, it is a advisable to check the condition of the
		buried parts at most once in 5 years and do the necessary replacement before the
		thunderstorm season begins.
Agro advisory f	rom Krishi Vigyan k	Kendra, Namakkal
		It is expected to receive rainfall in the forthcoming days. In order to prevent water
		logging and to drain the excess water, the agriculture and horticulture crop growers are
		advised to make proper and adequate drainage facilities in the field. Avoid sowing,
Crops	General	irrigation, fertilizer application and spraying of chemicals for the next four days. Provide
		adequate support to Banana aged more than 5 months and provide propping in Sugarcane against lodging. Provide criss cross ploughing with country plough in rainfed
		lands at 10 m interval to reduce runoff speed and soil erosion.
		Farmers are requested to give foliar spraying with Maize Maxim @ 3 kg / acre in 200
Maize	Vegetative Stage	litres of water along with sticking agent during tassel initiation and grain filling stage to
		improve the yield of maize crop.
Paddy	Transplanting stage	Farmers are advised to take up paddy sowing by utilizing expected rainfall and select
		new paddy varieties such as CO - 52, CO - 56 and ADT - 55 before sowing seed
		treatment with Bacillus subtilis @ 10 gram / kg of seed.

\_\_\_\_\_\_