



**Tamil Nadu Agricultural University**  
&  
**India Meteorological Department**  
**Agromet Advisory Bulletin for the Tiruppur District**  
**Bulletin No.0101/2023 Issued on 19.12.2023**  
**(From 20<sup>th</sup> December 2023 to 24<sup>th</sup> December 2023)**  
**Issued jointly by Agro Climate Research Centre, TNAU and IMD**



**Past Weather for Tamil Nadu District**

Weather Summary for the period since the pissue of last bulletin 100 (15.12.2023) for Tamil Nadu. Maximum temperature ranged from 26°C to 33°C and minimum temperature ranged from 21°C to 25°C, over the State. Kodaikanal and Uthagamandalam recorded maximum temperature ranged from 14°C to 23°C and minimum temperature ranged from 08°C to 12°C. During this period isolated rainfall was recorded in Tamil Nadu.

**Tiruppur District Past Weather**

In Tiruppur district, during 15.12.23 to 18.12.23 the Maximum temperature was recorded was 28°C to 30°C and the minimum temperature was 20°C to 23°C. The morning relative humidity recorded was 96 per cent and evening relative humidity was 61 per cent. The average wind speed recorded was 7-15 km per hour and the wind direction were from East direction.

**Weather Summary for Tiruppur district**

Past week Summary (15.12.2023 to 18.12.2023)				Ensemble weather forecast valid until 08.30 hrs of 24.12.2023					
Day-1 15/12	Day-2 16/12	Day-3 17/12	Day-4 18/12	Date	Day-1 20/12	Day-2 21/12	Day-3 22/12	Day-4 23/12	Day-5 24/12
0.0	0.0	0.3	16.9	<b>Rainfall</b>	5	1	1	0	0
29	30	30	28	<b>Max. Temp. (° C)</b>	25	26	26	27	27
20	21	23	22	<b>Mini. Temp. (° C)</b>	22	23	23	24	24
7	6	8	8	<b>Cloud cover (Octa)</b>	7	6	5	4	5
84	83	86	96	<b>RH morning (%)</b>	90	90	90	90	80
62	61	91	83	<b>RH evening (%)</b>	60	60	50	40	50
10	7	15	7	<b>Wind (kmph)</b>	8	10	10	10	10
70	90	70	70	<b>Wind Direction</b>	70	90	110	90	90

**Weather forecast for next five days: (20.12.2023 to 24.12.2023)**

According to district forecast issued by the India Meteorological Department for Tiruppur district, sky will be cloudy. Light drizzling rainfall is expected on 19.12.2023, 20.12.2023 & 21.12.2023. Maximum temperature is expected to be around 25°C to 27°C. Minimum temperature is expected to be around 22°C to 24°C. Morning relative humidity is expected to be around 90 per cent and evening relative humidity is expected to be around 40 per cent. Average wind speed is expected to be around 8-10 km per hour and the wind direction will be from East direction.

Tiruppur District Block Wise Rainfall (mm) for next five days													
Date	Avinashi	Dharapuram	Gudimangalam	Kangeyam	Kundadam	Madathukualm	Mulanur	Palladam	Pongalur	Tiruppur	Udumalpet	Uthukuli	Vellakovil
20-12-2023	3.0	3.0	2.0	2.0	2.0	3.0	3.0	3.0	3.0	3.0	2.0	3.0	2.0
21-12-2023	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22-12-2023	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23-12-2023	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24-12-2023	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

### Agro Advisory

Crop	Stage	Advisory
General		<p>Drizzling or light rainfall is expected during next week with wind speed of 4 -10 km/hr in western zone districts.</p> <p>By utilizing the favourable weather and soil moisture, complete all the postponed sprays, fertilizer application and weeding during non rainy period.</p>
Rice	Vegetative	<p>Prevailing weather condition is favourable for false smut attack in rice. To control 1 ml propiconazole or 1ml hexaconazole or copper oxychloride 2.5 g/lit or copper hydroxide 2.5 g/ lit. If required repeat the spray at 15 days interval.</p> <p>Since weather condition is favourable for blast incidence in rice farmers are requested to monitor the crop carefully and spray initially with tricyclozone @ 1g / litre followed by second spray with 1g carbendazim / litre of water.</p> <p>Because of low temperature and high relative humidity, infection from bacterial leaf blight is expected in rice crop. To control spray Streptomycin sulphate + Tetracycline combination 300 g + Copper oxychloride 1250 g/ha or Copper hydroxide 2g/lit of water. If necessary repeat 15 days later.</p>

Coconut		This is best time for second dose application of fertilizer to coconut at 650 g urea + 1 kg super phosphate + 1 kg muriate of potash / tree.
Animal Husbandry		Considering the monsoon season, and consumption of grasses, deworming may be given to sheep, goat, cattle and milch animals. Prevailing temperature is low during day and night. Provide adequate heating to young birds.

**SMS advisory**

- Prevailing temperature is low during day and night. Provide adequate heating to young birds through lights and gunny bags screens.

**Professor and Head  
Principal Nodal Officer (GKMS)  
Agro Climate Research Centre**