



**Gramin Krishi Mausam Sewa**  
**District Level Agromet Advisory Bulletin**  
 Tamil Nadu Agricultural University,  
 Coimbatore, Tamil Nadu



## Agromet Advisory Bulletin

Date : 20-06-2023

**Weather Forecast of District TIRUCHIRAPPALLI(Tamil Nadu) Issued On : 2023-06-20(Valid Till 08:30 IST of the next 5 days)**

Parameter	2023-06-21	2023-06-22	2023-06-23	2023-06-24	2023-06-25
Rainfall(mm)	4.0	4.0	6.0	3.0	0.0
Tmax(°C)	37.0	36.0	36.0	35.0	35.0
Tmin(°C)	27.0	26.0	26.0	25.0	25.0
RH-I(%)	80	70	70	70	70
RH-II(%)	70	40	40	40	40
Wind Speed(kmph)	10	12	12	14	10
Wind Direction(Degree)	270	250	250	270	270
Cloud Cover(Octa)	8	8	8	8	8

### Weather Summary/Alert:

Rainfall is expected for 4 days in a week. Average relative humidity (morning & evening), maximum temperature and minimum temperature may be expected around (72.0% & 46.0%), 36.0°C and 26.0°C respectively. The rainy clouds may appear. Expected average wind speed is 11.6 kmph.

### General Advisory:

Tamilnadu's average rainfall is likely to be increase than the normal during this week (21.06.2023 to 27.06.2023) From 2.45 mm to 3.78 mm.

### SMS Advisory:

Due to prevailing weather harvest the matured crops and stored it safely.

### Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
SUNFLOWER	Cut the capitula (flower heads) only. Thresh and clean. Immediately after harvest, dry the heads in the sun for 3 days. Spread the heads in thin layer and give turning once in 3 hours. NOTE: Do not heap or store the heads before drying properly as mould fungi will develop and spoil the grain quality. Thresh using a mechanical thresher, or beat with a stick and separate the grains, Winnow and clean the seeds, Dry the seeds again in the sun for another two days & Store in gunny bags.

### Horticulture Specific Advisory:

<b>Horticulture(Varieties)</b>	<b>Horticulture Specific Advisory</b>
TOMATO	Due to prevailing weather the white fly incidence may occur in Tomato. To control install yellow sticky traps @12/ha.
BANANA	Light to heavy rainfall with wind will expected in forthcoming days so farmers are advised to save the banana crop by using stacking method with casuarina poles.
COCONUT	To control & decreases the button shedding in coconut, Give root feeding of the coconut tonic @ 200 ml/palm at 6 months interval.

**Live Stock Specific Advisory:**

<b>Live Stock(Varieties)</b>	<b>Live Stock Specific Advisory</b>
COW	Due to rain fall event cattle shed and cow penning areas probably in moist condition. So kindly keep the cattle shed in dry condition and use disinfectant like lime.