



Agromet Advisory Bulletin for the Chennai District

Bulletin no. 79/2023 Issued on 03.10.2023

(04.10.2023-08.10.2023)

Issued jointly by

Tamil Nadu Veterinary and Animal Sciences University
& India Meteorological Department



Weather Summary for the period since the issue of last bulletin for Chennai.

During past four days around Chennai area, the sky was mostly clear. Maximum temperature was 35.0°C and Minimum temperature was 25.0-27.0°C. Wind speed was 04-07 km per hour. Relative humidity was recorded between 65-82 %.

Past week Summary (29.09.2023-02.10.2023)				Parameters	Ensemble weather forecast valid until 08.30 hrs of 08.10.2023				
29.09.2023	30.09.2023	01.10.2023	02.10.2023	Date	04.10.2023	05.10.2023	06.10.2023	07.10.2023	08.10.2023
5.0	28.2	2.7	0.0	Rainfall (mm)	3	2	3	0	0
35	35	35	35	Max. Temp. (°C)	35	35	36	36	36
25	25	26	27	Mini. Temp. (°C)	28	28	28	29	29
82	80	75	65	Maximum RH %	70	70	70	80	80
72	73	71	72	Minimum RH %	40	30	30	30	40
Partly cloudy	Partly cloudy	Partly cloudy	Partly cloudy	Cloud cover Octa	Partly cloudy	Partly cloudy	Partly cloudy	Partly cloudy	Partly cloudy
South South West	South East	South South East	South	Wind direction	South South West	South	South South West	South	South
7	5	4	7	Wind speed Kmp	14	14	14	12	14

Weather Summary for Chennai district

Weather forecast for next five days: (04.09.2023-08.10.2023)

According to district forecast issued by the India Meteorological Department for Chennai district, sky will be mostly clear. Maximum temperature is expected to be around 35.0-36.0°C. Minimum temperature is expected to be around 28.0-29.0°C. Morning relative humidity is expected to be around 70-80 per cent and evening relative humidity is expected to be around 30-40 per cent. Wind speed is expected to be around 12-14 km per hour and the wind direction will be from South.

SMS Advisory:

(04.10.2023-08.10.2023) Light to moderate rain is likely to occur at one or two places over Tamilnadu.

Livestock Advisory

1. The floors in the livestock shelter must be cleaned and maintained damp free to prevent water logging, Moreover the floors must be sprinkled with bleaching powder to maintain biosecurity in farm.
2. The floor of nursery piglet shed must be cleaned with luke warm saline or with any other commercial disinfectant to prevent E.coli infection, which in adverse cases of infection leads to diarrhoea and mortality.
3. The sheep and goat must be vaccinated against Enterotoxaemia infection.
4. To prevent mosquitoes menace the livestock shed may be fumigated with Vitex Negundo dried leaves once in a week
5. The newly kidded doe must be vaccinated with TT (Tetanus Toxide)
6. Sporadic incidence of Blue Tongue infection may occur in small ruminants. Hence stringent measures must be taken to control fly vector, (Culicoides).
7. Present maximum and minimum temperature is feasible for rabbit production, hence the rabbit may be allowed for individual mating or colony mating.
8. The stagnated water around the poultry farms must be cleared immediately, to avoid the development of intermediate host of poultry cestode which tends to develop in stagnated water

*Nodal Officer (GKMS)
Professor and Head,
Department of Livestock Production Management
Madras Veterinary College, Chennai - 7*



Agromet Advisory Bulletin for the Thiruvannamalai District

Bulletin no. 79/2023 Issued on 03.10.2023

(04.10.2023-08.10.2023)

Issued jointly by

Tamil Nadu Veterinary and Animal Sciences University
& India Meteorological Department



Weather Summary for the period since the issue of last bulletin for TVMalai .

During past four days around TVMalai area, the sky was mostly clear. Maximum temperature was 33.0-35.0°C and Minimum temperature was 24.0-26.0°C. Wind speed was 05-11 km per hour. Relative humidity was recorded between 59-86 %.

Past week Summary (29.09.2023-02.10.2023)				Parameters	Ensemble weather forecast valid until 08.30 hrs of 08.10.2023				
29.09.2023	30.09.2023	01.10.2023	02.10.2023		Date	04.10.2023	05.10.2023	06.10.2023	07.10.2023
0.1	0.0	0.0	1.3	Rainfall (mm)	0	3	2	0	2
33	34	35	33	Max. Temp. (°C)	35	35	34	35	35
24	26	25	25	Mini. Temp. (°C)	25	25	25	26	26
81	73	86	70	Maximum RH %	80	80	70	70	80
59	60	62	61	Minimum RH %	40	40	40	40	40
Partly cloudy	Partly cloudy	Partly cloudy	Partly cloudy	Cloud cover Octa	Partly cloudy	Partly cloudy	Partly cloudy	Partly cloudy	Partly cloudy
South South West	South West	West South West	West South West	Wind direction	West	West	West North West	North West	South South East
11	5	7	9	Wind speed Kmp	6	8	10	8	8

Weather Summary for TVMalai district

Weather forecast for next five days: (04.10.2023-08.10.2023)

According to district forecast issued by the India Meteorological Department for TVMalai district, sky will be mostly clear. Maximum temperature is expected to be around 34.0-35.0°C. Minimum temperature is expected to be around 25.0-26.0°C. Morning relative humidity is expected to be around 70-80 per cent and evening relative humidity is expected to be around 40 per cent. Wind speed is expected to be around 06-10 km per hour and the wind direction will be from South South East.

SMS Advisory:

(04.10.2023-08.10.2023) Light to moderate rain is likely to occur at one or two places over Tamilnadu.

Livestock Advisory:

1. The floors in the livestock shelter must be cleaned and maintained damp free to prevent water logging, Moreover the floors must be sprinkled with bleaching powder to maintain biosecurity in farm.
2. The floor of nursery piglet shed must be cleaned with luke warm saline or with any other commercial disinfectant to prevent E.coli infection, which in adverse cases of infection leads to diarrhoea and mortality.

3. The sheep and goat must be vaccinated against Enterotoxaemia infection.
 4. To prevent mosquitoes menace the livestock shed may be fumigated with Vitex Negundo dried leaves once in a week
 5. The newly kidded doe must be vaccinated with TT (Tetanus Toxide)
 6. Sporadic incidence of Blue Tongue infection may occur in small ruminants. Hence stringent measures must be taken to control fly vector, (Culicoides).
 7. Present maximum and minimum temperature is feasible for rabbit production, hence the rabbit may be allowed for individual mating or colony mating.
 8. The stagnated water around the poultry farms must be cleared immediately, to avoid the development of intermediate host of poultry cestode which tends to develop in stagnated water
- Agricultural advisory**

Rice:

Harvest the matured paddy crops and store in safe places.

Provide drainage facility to the nursery field and avoid fertilizer application, any kind of spray

Groundnut:

Harvest the matured groundnut crops and store in safe places.

Coconut:

To control rhinoceros beetle in rainy season , setup Rhino lure pheromone trap @ 2 traps/acre.

Banana:

Propping and cleaning of dried and bending leaves to ensure the proper aeration and staking for 5 month old banana trees.

Papaya:

Cleaning of papaya field and provide drainage facility.

*Nodal Officer (GKMS)
Professor and Head,
Department of Livestock Production Management
Madras Veterinary College, Chennai – 7*



Agromet Advisory Bulletin for the Villupuram District
Bulletin no. 79/2023 Issued on 03.10.2023
(04.10.2023-08.10.2023)



Issued jointly by
Tamil Nadu Veterinary and Animal Sciences University
& India Meteorological Department

Weather Summary for the period since the issue of last bulletin for Villupuram.

During past four days around Villupuram area, the sky was mostly clear. Maximum temperature was 33.0-36.0°C and Minimum temperature was 26.0-27.0°C. Wind speed was 02-08 km per hour. Relative humidity was recorded between 57-83 %.

Past week Summary (29.09.2023-02.10.2023)				Parameters	Ensemble weather forecast valid until 08.30 hrs of 08.10.2023				
29.09.2023	30.09.2023	01.10.2023	02.10.2023		Date	04.10.2023	05.10.2023	06.10.2023	07.10.2023
0.0	0.0	0.2	5.2	Rainfall (mm)	0	3	2	1	0
33	36	35	35	Max. Temp. (°C)	36	36	35	35	35
26	27	26	27	Mini. Temp. (°C)	27	26	26	26	25
76	79	75	71	Maximum RH %	70	70	70	80	80
57	83	63	59	Minimum RH %	40	40	40	30	40
Partly cloudy	Partly cloudy	Partly cloudy	Partly cloudy	Cloud cover Octa	Partly cloudy	Partly cloudy	Partly cloudy	Partly cloudy	Partly cloudy
South West	North	North	South West	Wind direction	South South West	South South West	South South West	South	South
8	3	2	5	Wind speed Kmp	10	12	12	10	12

Weather Summary for Villupuram district

Weather forecast for next five days: (04.10.2023-08.10.2023)

According to district forecast issued by the India Meteorological Department for Villupuram district, sky will be mostly clear. Maximum temperature is expected to be around 35.0-36.0°C. Minimum temperature is expected to be around 25.0-27.0°C. Morning relative humidity is expected to be around 70-80 per cent and evening relative humidity is expected to be around 30-40 per cent. Wind speed is expected to be around 10-12 km per hour and the wind direction will be from South.

SMS Advisory:

(04.10.2023-08.10.2023) Light to moderate rain is likely to occur at one or two places over Tamilnadu.

Livestock Advisory:

1. The floors in the livestock shelter must be cleaned and maintained damp free to prevent water logging, Moreover the floors must be sprinkled with bleaching powder to maintain biosecurity in farm.
2. The floor of nursery piglet shed must be cleaned with luke warm saline or with any other commercial disinfectant to prevent E.coli infection, which in adverse cases of infection leads to diarrhoea and mortality.
3. The sheep and goat must be vaccinated against Enterotoxaemia infection.

4. To prevent mosquitoes menace the livestock shed may be fumigated with Vitex Negundo dried leaves once in a week
5. The newly kidded doe must be vaccinated with TT (Tetanus Toxide)
6. Sporadic incidence of Blue Tongue infection may occur in small ruminants. Hence stringent measures must be taken to control fly vector, (Culicoides).
7. Present maximum and minimum temperature is feasible for rabbit production, hence the rabbit may be allowed for individual mating or colony mating.
8. The stagnated water around the poultry farms must be cleared immediately, to avoid the development of intermediate host of poultry cestode which tends to develop in stagnated water

Agricultural advisory

Rice:

Due to prevailing weather condition possible for thrips infestation in paddy crop. To manage them, spray thiamethoxam 8.0g/ for 20 cent of nursery field. In transplanted field spray Azadiractin 400 ml/acre or thiamethoxam 40 g/ac. Due to prevailing weather condition leaf folder and stem borer infestation is found in paddy crop. To manage them, spray carbosulfan 400 ml/ac or cartap hydrochloride 600 g/ac during morning or evening hours.

Groundnut:

Groundnut crops are under maturity stage. Light rainfall will be expected in the forthcoming days, so farmers are advised to harvest the matured crops and stored in godown.

Maize:

Maize growing farmers the fall army worm infection apply neem cake @ 250 kg/ha (farmer contribution)

Seed treatment with cyantraniliprole 19.8% + thiamethoxam 19.8 FS @ 4.0 ml/kg seed

Border cropping with gingelly or cowpea or sorghum

Installation of pheromone traps @ 12 nos./ha

Spraying of chlorantraniliprole 18.5 SC @ 0.4 ml/l (or) flubendiamide 20 WG (0.5 g/l) at 15-20 days of emergence (DAE)

Application of ememectin benzoate 5 SG (0.4 g/l) or spinetoram 11.7 SC (0.5 ml/l) at 35-40 DAE at late whorl stage and 60 DAE.

Banana:

Light with high wind speed expected it may cause lodging in banana. Provide support to five months and above old banana.

*Nodal Officer (GKMS)
Professor and Head,
Department of Livestock Production Management
Madras Veterinary College, Chennai – 7*



Agromet Advisory Bulletin for the Kancheepuram District
Bulletin no. 79/2023 Issued on 03.10.2023
(04.10.2023-08.10.2023)



Issued jointly by
Tamil Nadu Veterinary and Animal Sciences University
& India Meteorological Department

Weather Summary for the period since the issue of last bulletin for Kancheepuram.

During past four days around Kancheepuram area, the sky was mostly clear. Maximum temperature was 35.0°C and Minimum temperature was 23.0-26.0°C. Wind speed was 03-09 km per hour. Relative humidity was recorded between 68-90%.

Past week Summary (29.09.2023-02.10.2023)				Parameters	Ensemble weather forecast valid until 08.30 hrs of 08.10.2023				
29.09.2023	30.09.2023	01.10.2023	02.10.2023		Date	04.10.2023	05.10.2023	06.10.2023	07.10.2023
21.6	10.0	1.7	0.0	Rainfall (mm)	0	2	2	0	2
35	35	35	35	Max. Temp. (°C)	35	34	34	34	34
24	23	26	26	Mini. Temp. (°C)	27	26	26	26	26
90	84	78	71	Maximum RH %	70	80	80	80	80
71	70	68	68	Minimum RH %	40	30	30	30	40
Partly cloudy	Partly cloudy	Partly cloudy	Partly cloudy	Cloud cover Octa	Partly cloudy	Partly cloudy	Partly cloudy	Partly cloudy	Partly cloudy
South South East	South East	South	South East	Wind direction	South West	South West	South West	South	South
5	3	4	9	Wind speed Kmp	12	10	12	10	12

Weather Summary for Kancheepuram district

Weather forecast for next five days: (04.10.2023-08.10.2023)

According to district forecast issued by the India Meteorological Department for Kancheepuram district, sky will be mostly clear. Maximum temperature is expected to be around 34.0-35.0°C. Minimum temperature is expected to be around 26.0-27.0°C. Morning relative humidity is expected to be around 70-80 per cent and evening relative humidity is expected to be around 30-40 per cent. Wind speed is expected to be around 10-12 km per hour and the wind direction will be from South.

SMS Advisory:

(04.10.2023-08.10.2023) Light to moderate rain is likely to occur at one or two places over Tamilnadu.

Livestock Advisory:

1. The floors in the livestock shelter must be cleaned and maintained damp free to prevent water logging, Moreover the floors must be sprinkled with bleaching powder to maintain biosecurity in farm.
2. The floor of nursery piglet shed must be cleaned with luke warm saline or with any other commercial disinfectant to prevent E.coli infection, which in adverse cases of infection leads to diarrhoea and mortality.
3. The sheep and goat must be vaccinated against Enterotoxaemia infection.
4. To prevent mosquitoes menace the livestock shed may be fumigated with Vitex Negundo dried leaves once in a week
5. The newly kidded doe must be vaccinated with TT (Tetanus Toxide)
6. Sporadic incidence of Blue Tongue infection may occur in small ruminants. Hence stringent measures must be taken to control fly vector, (Culicoides).
7. Present maximum and minimum temperature is feasible for rabbit production, hence the rabbit may be allowed for individual mating or colony mating.
8. The stagnated water around the poultry farms must be cleared immediately, to avoid the development of intermediate host of poultry cestode which tends to develop in stagnated water

Agricultural advisory

Rice:

The forecasted weather may cause Thrips infestation in nursery field. For management farmers may spray Phosphamidon 40 SL 50 ml.

The forecasted weather is conducive for Sheath Blight infestation in paddy. For management farmers may spray Neem oil @ 3% at start stage of the disease.

Brinjal:

There are possibilities of sucking pest Mite infestation in Brinjal. Farmers may take necessary plant protection measures with the advice of Horticulture officer.

*Nodal Officer (GKMS)
Professor and Head,
Department of Livestock Production Management
Madras Veterinary College, Chennai - 7*