



Tamil Nadu Agricultural University
&
India Meteorological Department
Agromet Advisory Bulletin for the Coimbatore District
Bulletin No.005/2024 Issued on 16.01.2024
(From 17th January 2024 to 21st January 2024)
Issued jointly by Agro Climate Research Centre, TNAU and IMD



Past Weather for Tamil Nadu District

Weather Summary for the period since the issue of last bulletin 004 (12.01.2024) for Tamil Nadu. Maximum temperature ranged from 29°C to 32°C and minimum temperature ranged from 21°C to 26°C, over the State. Kodaikanal and Uthagamandalam recorded maximum temperature ranged from 18°C to 23°C and minimum temperature ranged from 4°C to 10°C. During this period isolated rainfall was recorded in Tamil Nadu.

Coimbatore District Past Weather

In Coimbatore district, during 12.01.24 to 15.01.24 the Maximum temperature was recorded was 30°C to 31°C and the minimum temperature was 19°C to 21°C. The morning relative humidity recorded was 90 per cent and evening relative humidity was 38 per cent. The average wind speed recorded was 4-11 km per hour and the wind direction were from East direction.

Weather Summary for Coimbatore district

Past week Summary (12.01.2024 to 15.01.2024)				Ensemble weather forecast valid until 08.30 hrs of 21.01.2024					
Day-1 12/01	Day-2 13/01	Day-3 14/01	Day-4 15/01	Date	Day-1 17/01	Day-2 18/01	Day-3 19/01	Day-4 20/01	Day-5 21/01
0.0	0.0	0.0	0.0	Rainfall	0	0	0	0	0
30	30	30	31	Max. Temp. (°C)	31	31	30	30	31
19	19	21	21	Mini. Temp. (°C)	21	21	20	21	21
4	4	5	5	Cloud cover (Octa)	0	2	0	0	1
84	84	90	87	RH morning (%)	80	90	80	80	80
51	48	44	38	RH evening (%)	40	40	30	30	30
11	6	7	4	Wind (kmph)	8	6	8	8	8
50	90	90	90	Wind Direction	70	70	50	70	70

Weather forecast for next five days:(17.01.2024 to 21.01.2024)

According to district forecast issued by the India Meteorological Department for Coimbatore district, sky will be cloudy. Dry weather is expected on next five days. Maximum temperature is expected to be around 30°C to 31°C. Minimum temperature is expected to be around 20°C to 21°C. Morning relative humidity is expected to be around 90 per cent and evening relative humidity is expected to be around 30 per cent. Average wind speed is expected to be around 6-8 km per hour and the wind direction will be from East direction.

Coimbatore District Block Wise Rainfall(mm) for next five days												
Date	Anamalai	Annur	Karamadai	Kinathukadavu	Madukkarai	PN Palayam	Pollachi North	Pollachi South	Sarcarsamakulam	Sultanpet	Sulur	Thondamuthur
17-01-2024	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18-01-2024	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19-01-2024	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20-01-2024	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21-01-2024	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Agro Advisory

Crop	Stage	Advisory
General		<p>Dry days are expected during next week with wind speed of 6 -10 km/hr in western zone districts.</p> <p>Irrigation may be done based on soil moisture and apply crop residue mulches to all irrigated crops to maintain sufficient soil moisture.</p> <p>By utilizing the dry days complete the harvest of samba paddy, pulses and millets at harvesting stage.</p>
Rice	Harvest, Flowering and planting	<p>By utilizing the dry days complete the harvest of samba paddy which is at harvesting stage.</p> <p>To increase setting percentage in rice under prevailing cold temperature, spray 2% DAP to rice which is around in flowering.</p> <p>In assured irrigated areas, Navarai season rice planting may be initiated with wet and dry method of irrigation.</p>
Sugarcane	Planting	<p>Under prevailing weather conditions planning may done to plant early season sugarcane as earliest possible,in order to harvest higher productivity</p>

Turmeric	vegetative	Prevailing weather condition is also favorable for the blotch incidence in turmeric. Hence farmers are request to monitor the crop and spray mancozeb @ 2.5 g/liter of water.
Animal Husbandry		Sodium hydroxide may be used as disinfectant (200 gm in 10 liter of water) for foot and mouth disease in cattle's shed and the wounds of the infected animal may be treated with neem oil with turmeric powder.

SMS advisory

- By utilizing the prevailing weather early season sugarcane may be planted as earliest possible to harvest higher productivity

**Professor and Head
Principal Nodal Officer (GKMS)
Agro Climate Research Centre**