

Tamil Nadu Rice Research Institute - Aduthurai

&

India Meteorological Department Agromet Advisory Bulletin for the Mayiladuthurai District Bulletin No.11/2025 Issued on 06.04.2025

(From 07th May 2025 to 11th May 2025) Issued jointly by TRRI, Aduthurai and IMD



Mayiladuthurai District Past Weather

In Mayiladuthurai district, during 02.05.2025 to 05.05.2025 the Maximum temperature was was recorded 35 - 38 °C the minimum temperature was 23 - 27 °C. The morning relative humidity recorded was 89 per cent and evening relative humidity was 86 per cent. The average wind speed recorded was 4 - 8 km per hour and the wind directions were from south south east direction.

Weather forecast for next five days: (07.05.2025 to 11.05.2025)

Past Week Summary (02.05.2025 to 05.05.2025)				Parameters	Ensemble weather forecast valid until 16.30 hrs of 11.05.2025				
Day-1 02/05	Day-2 03/05	Day-3 04/05	Day-4 05/05	Date	Day-1 07/05	Day-2 08/05	Day-3 09/05	Day-4 10/05	Day-5 11/05
0.0	0.0	0.0	40.7	Rainfall. (mm)	4	3	0	1	0
37	35	38	36	Max. Temp. (°C)	36	35	35	35	35
27	27	27	23	Mini. Temp. (°C)	24	24	25	24	24
5	3	2	7	Cloud cover (Octa)	6	5	6	7	4
78	80	82	89	RH morning (%)	80	70	70	70	70
69	72	86	81	RH evening (%)	50	50	50	50	40
4	7	8	6	Wind (kmph)	16	16	18	16	16
South East	South South East	South South East	East South East	Wind Direction	South South West	South South West	South South West	South South West	South South West

Weather Summary for Mayiladuthurai district

According to district forecast issued by the India Meteorological Department for Mayiladuthurai district, sky will be clear. Light rainfall expected on 07.05.2025, 08.05.2025 and 10.05.2025. Maximum temperature is expected to be around 35 - 36 °C. Minimum temperature is expected to be around 24 - 25 °C. Morning relative humidity is expected to be around 80 per cent and evening relative humidity is expected to be around 50 per cent. Average wind speed is expected to be around 16 - 18 km per hour and the wind directions will be from south south west direction.

Agro Advisory

General		Postpone/avoid irrigation to all crops depending upon rain			
		condition.			
		For summer nursery, an area of 20 cents can be allotted for			
	Nursery	planting 1 ha with the application of FYM or compost @ 1			
Rice		ton. For clay soil, 4 kg gypsum and 1 kg DAP/cent can be			
		applied 10 days prior to pulling out of seedlings to avoid roof			
		snapping.			
	Main field	Application of 10 kg zinc sulphate and 200 kg gypsum per			
Diag		acre is recommended at the time of transplanting, in addition			
Rice		to the recommended dose of nitrogen, Phosphorus and			
		Potassium.			
Banana		Provide support with wooden poles to avoid lodging of tree			
Daniana		due to wind.			
	Cow and Goat	Calves above 3 months and sheep and goat above 2 months			
		should be vaccinated against Foot and Mouth disease			
		When the air temperature is above 35 degrees Celsius the			
Cattle		dairy cattle tend to drink more water thereby decreasing the			
		Dry Matter Intake (DMI). Hence to overcome this succulent			
		protein rich green fodder mixed with green fodder may be			
		provided to livestock.			

SMS advisory

Postpone/avoid irrigation to all crops depending upon rain condition.

Director, TRRI, Aduthurai